



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 20-NOV-25 to 14-JAN-26

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

	Week Ending								Cumulative Total to end of week 2			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
Disease Category/Disease	26/11	03/12	10/12	17/12	24/12	31/12	07/01	14/01	2026	2025	2024			
Blood-borne diseases[2]														
Hepatitis B (newly acquired)								1	1	0	2	1	1.0	1.0
Hepatitis B (unspecified)	8	20	11	14	9	3	6	11	17	18	7	29	31.3	0.9
Hepatitis C (newly acquired)	3	5	1	1	5	1		1	1	3	3	7	6.7	1.1
Hepatitis C (re-infection newly acquired)				1					0	0	0	0	0.7	0.0
Hepatitis C (re-infection unspecified)			1						0	0	0	0	0.1	0.0
Hepatitis C (unspecified)	19	27	14	20	18	9	11	14	25	22	26	52	58.7	0.9
Hepatitis D		1		1				1	1	0	0	1	0.7	1.5
Enteric diseases														
Campylobacteriosis	116	122	108	105	74	69	109	84	193	211	216	336	350.9	1.0
Cholera									0	0	0	0	0.1	0.0
Cryptosporidiosis	4	4	5	11		3	8	2	10	47	19	13	37.4	0.3
Hepatitis A		1				1	1		1	2	2	2	1.3	1.5
Listeriosis							1		1	1	0	1	0.7	1.5
Paratyphoid fever									0	0	0	0	0.6	0.0
Rotavirus	50	46	49	35	28	16	10	1	11	22	33	55	52.1	1.1
STEC/VTEC infection	5	6	4	5	7	1	6	4	10	10	10	18	18.4	1.0
Salmonellosis	22	32	32	15	15	14	20	16	36	64	52	65	111.7	0.6
Shigellosis	4	8	7	4	4	7	1	2	3	27	17	14	23.9	0.6
Typhoid	1	1			1		1		1	1	0	2	1.9	1.0
Vibrio parahaemolyticus		1	2	1	1	1	1		1	1	1	3	1.5	2.0
Yersiniosis	2	5	2	4			4	2	6	5	1	6	5.0	1.2
Sexually transmissible infections														
Chlamydia (genital)	233	261	204	228	190	109	169	137	306	535	497	605	888.1	0.7
Gonorrhoea	121	102	106	115	83	74	103	58	161	221	210	318	307.2	1.0
Syphilis (congenital)									0	0	0	0	0.3	0.0
Syphilis - Infectious	12	18	20	19	13	8	11	1	12	34	20	33	57.9	0.6
Syphilis - Non-Infectious	8	9	7	8	4	4	4	4	8	7	5	16	16.1	1.0
Vaccine preventable diseases														
Diphtheria				1					0	0	0	0	0.1	0.0
Influenza	434	547	558	546	386	226	247	141	388	591	268	1000	356.4	2.8
Measles	1	1	1	1	1	4			0	0	0	5	0.3	15.0
Mumps									0	2	0	0	0.3	0.0
Pertussis	63	58	70	65	45	29	22	12	34	124	10	108	46.5	2.3
Pneumococcal infection	3	5	8	3	3	2	3	1	4	7	2	9	11.5	0.8
Rubella (non-congenital)					2				0	0	0	2	0.1	30.0
Tetanus									0	0	0	0	0.1	0.0
Varicella (chicken pox)	10	4	11	7	8	14	9	1	10	24	14	32	39.5	0.8
Varicella (shingles)	36	40	32	42	38	32	21	3	24	99	78	94	205.3	0.5
Varicella (unspecified)	52	67	55	57	69	55	58	70	128	104	94	252	188.1	1.3
Vector-borne diseases														
Barmah Forest virus		1	1	2					0	0	0	0	2.1	0.0
Chikungunya	1				1	1	1		1	0	0	3	0.5	5.6
Dengue fever	4	5	4	4	5		4	4	8	38	16	13	17.0	0.8
Malaria	2		2		1		1		1	0	3	2	2.8	0.7
Murray Valley encephalitis virus									0	0	0	0	0.1	0.0
Ross River virus	6	5	8	3	5	9	8	1	9	22	15	23	55.0	0.4
Typhus	2			2		1			0	0	5	1	2.7	0.4
Zika virus									0	0	0	0	0.0	0.0
Zoonotic diseases														
Leptospirosis					1				0	0	0	1	0.4	2.5
Psittacosis									0	0	0	0	0.1	0.0
Q Fever		2							0	1	0	0	0.4	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis	1	1				2			0	3	0	2	1.7	1.2
COVID-19							1		1	0	0	1	95.3	0.0
Creutzfeldt-Jakob disease									0	0	1	0	0.6	0.0
Haemolytic Uraemic Syndrome									0	0	0	0	0.1	0.0
Legionellosis	1	3	4	2	1	2			0	1	4	3	5.1	0.6
Leprosy									0	1	0	0	0.1	0.0
Melioidosis									0	1	0	0	0.8	0.0
Meningococcal infection					1	1			0	0	0	2	1.1	1.9
Monkeypox virus	1		1	1					0	8	0	0	1.3	0.0
RSV	92	96	89	74	67	46	47	34	81	128	76	194	209.6	0.9
Tuberculosis	6	2	3	5	2	7	2	3	5	6	2	14	10.8	1.3
iGAS	1	3	5	7	8	8	4	3	7	12	8	23	13.9	1.7
Grand Total	1324	1509	1425	1409	1096	759	894	612						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 2			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]	
	26/11	03/12	10/12	17/12	24/12	31/12	07/01	14/01	2026	2025	2024				
Blood-borne diseases[2]															
Hepatitis B (newly acquired)								1	1	0	2	1	0.6	1.7	
Hepatitis B (unspecified)	6	16	9	10	8	2	6	9	15	17	6	25	25.9	1.0	
Hepatitis C (newly acquired)	3	2	1	1	4			1	1	3	3	5	5.4	0.9	
Hepatitis C (re-infection newly acquired)				1					0	0	0	0	0.3	0.0	
Hepatitis C (unspecified)	16	23	12	17	17	7	7	10	17	14	19	41	42.7	1.0	
Hepatitis D								1	1	0	0	1	0.7	1.5	
Enteric diseases															
Campylobacteriosis	79	89	95	83	59	47	80	65	145	179	167	251	274.1	0.9	
Cholera									0	0	0	0	0.1	0.0	
Cryptosporidiosis	4	2	5	5		2	7	2	9	39	13	11	28.7	0.4	
Hepatitis A		1				1	1		1	2	1	2	1.1	1.8	
Listeriosis							1		1	1	0	1	0.6	1.7	
Paratyphoid fever									0	0	0	0	0.5	0.0	
Rotavirus	47	40	44	32	27	11	7		7	20	29	45	44.7	1.0	
STEC/VTEC infection	2	1	2	3	3	1	1	1	2	3	6	6	10.2	0.6	
Salmonellosis	19	21	22	8	12	10	11	10	21	45	39	43	82.8	0.5	
Shigellosis	3	6	5	1	3	4		1	1	20	13	8	16.3	0.5	
Typhoid		1			1		1		1	1	0	2	1.8	1.1	
Vibrio parahaemolyticus			1	1	1	1	1		1	1	1	3	1.5	2.0	
Yersiniosis	2	3	2	4			3	2	5	5	1	5	4.5	1.1	
Sexually transmissible infections															
Chlamydia (genital)	185	198	164	179	151	82	122	112	234	414	397	467	694.9	0.7	
Gonorrhoea	82	74	80	78	65	57	82	47	129	148	162	251	209.3	1.2	
Syphilis (congenital)									0	0	0	0	0.1	0.0	
Syphilis - Infectious	5	13	13	13	8	4	9	1	10	24	14	22	35.7	0.6	
Syphilis - Non-Infectious	5	7	6	6	4	4	1	3	4	6	4	12	9.9	1.2	
Vaccine preventable diseases															
Diphtheria									0	0	0	0	0.1	0.0	
Influenza	329	452	458	453	332	182	204	117	322	520	211	836	289.1	2.9	
Measles				1	1	4			0	0	0	5	0.3	15.0	
Mumps									0	2	0	0	0.2	0.0	
Pertussis	52	52	63	58	38	24	20	10	30	82	4	92	29.9	3.1	
Pneumococcal infection	1	4	6	1	2	1	2		2	2	1	5	6.4	0.8	
Rubella (non-congenital)					2				0	0	0	2	0.1	30.0	
Tetanus									0	0	0	0	0.1	0.0	
Varicella (chicken pox)	10	2	6	6	6	11	3	1	4	16	11	21	30.7	0.7	
Varicella (shingles)	24	26	20	25	22	21	12		12	68	61	55	138.3	0.4	
Varicella (unspecified)	49	64	54	57	67	54	54	67	121	103	90	242	180.4	1.3	
Vector-borne diseases															
Barmah Forest virus			1						0	0	0	0	0.7	0.0	
Chikungunya					1	1	1		1	0	0	3	0.5	6.4	
Dengue fever	3	5	3	2	3		4	4	8	30	13	11	13.0	0.8	
Malaria	2		2		1		1		1	0	2	2	2.0	1.0	
Ross River virus	4	3	2	1	2				0	13	6	2	29.2	0.1	
Typhus	1			1		1			0	0	1	1	1.1	0.9	
Zika virus									0	0	0	0	0.0	0.0	
Zoonotic diseases															
Leptospirosis					1				0	0	0	1	0.2	5.0	
Other diseases															
Acute post-streptococcal glomerulonephritis		1				1			0	2	0	1	0.5	1.9	
Creutzfeldt-Jakob disease									0	0	1	0	0.5	0.0	
Legionellosis	1	2	4	2	1	2			0	0	2	3	3.6	0.8	
Leprosy									0	1	0	0	0.1	0.0	
Melioidosis									0	1	0	0	0.3	0.0	
Meningococcal infection					1	1			0	0	0	2	0.8	2.5	
Monkeypox virus	1		1	1					0	8	0	0	1.3	0.0	
RSV	73	74	72	60	48	34	33	27	60	79	58	142	138.1	1.0	
Tuberculosis	5	2	3	4	2	7	1	3	4	6	2	13	9.9	1.3	
iGAS	1	3	4	4	6	6	3	1	4	7	6	16	8.9	1.8	
Grand Total	1014	1187	1160	1118	899	583	678	496							

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)				1	1	0.1			
Hepatitis B (unspecified)	2	4 (7)	0.2	2	8 (6)	0.7	5	13 (13)	0.9
Hepatitis C (newly acquired)				1	4 (3)	0.1		1 (3)	
Hepatitis C (unspecified)	2	9 (5)	0.5	2	12 (12)	0.7	6	20 (11)	0.9
Hepatitis D							1	1	0.1
Enteric diseases									
Campylobacteriosis	23	83 (99)	5.7	24	93 (82)	6.3	18	75 (100)	5.9
Cryptosporidiosis		7 (34)	0.6	2	3 (7)	0.4		1 (14)	0.1
Hepatitis A								2 (3)	0.1
Listeriosis								1	0.1
Rotavirus		15 (12)	0.4		16 (17)	0.1		14 (8)	0.4
STEC/VTEC infection				1	4 (3)	0.1		2 (2)	0.1
Salmonellosis	2	14 (21)	0.7	3	11 (26)	0.5	5	18 (28)	1.3
Shigellosis	1	3 (8)	0.1		2 (10)			3 (8)	
Typhoid		2	0.1						
Vibrio parahaemolyticus		1 (1)			2	0.1			
Yersiniosis	1	2 (1)	0.2		2 (3)	0.3	1	1 (2)	0.1
Sexually transmissible infections									
Chlamydia (genital)	28	142 (195)	7.6	33	148 (198)	9.7	51	177 (234)	11.4
Gonorrhoea	13	69 (69)	4.2	11	66 (85)	4.0	23	116 (91)	7.4
Syphilis - Infectious	1	3 (8)	0.1		6 (7)	0.3		13 (23)	0.8
Syphilis - Non-Infectious		2 (2)			2 (3)	0.1	3	8 (7)	0.4
Vaccine preventable diseases									
Influenza	48	357 (307)	16.4	36	214 (189)	11.9	34	265 (233)	11.2
Measles		1			1			3	
Pertussis	5	40 (61)	1.7	4	33 (54)	1.2	1	19 (38)	0.8
Pneumococcal infection		1 (1)			3 (2)	0.1		1 (2)	0.1
Rubella (non-congenital)		1						1	
Varicella (chicken pox)		9 (17)	0.2		4 (6)		1	8 (15)	0.2
Varicella (shingles)		20 (34)	0.5		19 (37)	0.5		16 (46)	0.5
Varicella (unspecified)	23	98 (50)	5.6	20	64 (65)	4.3	24	80 (72)	5.0
Vector-borne diseases									
Chikungunya		2	0.1		1				
Dengue fever	3	7 (16)	0.7		2 (11)	0.1	1	2 (11)	0.1
Malaria		1			1	0.1			
Ross River virus					1 (6)			1 (5)	
Typhus		1							
Zoonotic diseases									
Leptospirosis		1							
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)		1 (1)							
COVID-19									
Legionellosis		1 (1)			2				
Meningococcal infection		2							
RSV	11	49 (47)	2.8	7	39 (39)	1.6	9	54 (38)	2.9
Tuberculosis	1	3 (4)	0.1		4 (1)	0.1	2	6 (6)	0.2
iGAS		4 (6)			7 (5)	0.3	1	5 (6)	0.2
Grand Total	164	955 *****		147	775 (877)		186	927 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)	1	1	0.5					1	
Hepatitis C (newly acquired)					1 (1)				
Hepatitis C (unspecified)	2	2 (2)	1.0	1	3	3.0	1	2 (2)	2.5
Hepatitis D									
Enteric diseases									
Campylobacteriosis	6	39 (35)	9.6	4	10 (9)	8.9	1	7 (7)	7.4
Cryptosporidiosis		1 (5)	0.5					1 (1)	
Hepatitis A									
Listeriosis									
Rotavirus		4 (3)	1.0					2	1.2
STEC/VTEC infection	1	6 (3)	1.9		1				
Salmonellosis	1	6 (8)	2.4		1 (6)		2	4 (1)	4.9
Shigellosis		1	0.5						
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	3	25 (39)	6.3	2	5 (7)	3.0	3	11 (6)	4.9
Gonorrhoea	3	9 (15)	1.9					1 (5)	
Syphilis - Infectious									
Syphilis - Non-Infectious		1	0.5						
Vaccine preventable diseases									
Influenza	11	66 (38)	15.9		13 (13)	7.4		8 (6)	2.5
Measles									
Pertussis		9 (29)	0.5	1	4 (7)	1.5			
Pneumococcal infection									
Rubella (non-congenital)									
Varicella (chicken pox)		2 (8)	1.0		1 (1)			5	4.9
Varicella (shingles)	2	16 (26)	1.9		4 (12)	1.5		6 (3)	1.2
Varicella (unspecified)	1	3	1.0	1	1	1.5		1 (3)	1.2
Vector-borne diseases									
Chikungunya									
Dengue fever		1 (1)							
Malaria									
Ross River virus	1	16 (6)	3.4		3	1.5		1	1.2
Typhus									
Zoonotic diseases									
Leptospirosis									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19								1	1.2
Legionellosis									
Meningococcal infection									
RSV	1	9 (16)	2.4		2 (8)		2	6 (5)	3.7
Tuberculosis					1	1.5			
iGAS								1 (2)	
Grand Total	33	217 (234)		9	50 (64)		9	58 (41)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)					1 (1)				
Hepatitis C (newly acquired)									
Hepatitis C (unspecified)		2 (4)	1.4					1 (2)	
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	3 (12)	1.4	4	6	6.9	1	11 (3)	6.6
Cryptosporidiosis									
Hepatitis A									
Listeriosis									
Rotavirus					1		1	1	1.7
STEC/VTEC infection							1	2	3.3
Salmonellosis		1 (1)					1	4 (2)	5.0
Shigellosis		1					1	4 (4)	1.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	3	11 (22)	12.7	1	18 (29)	13.8	7	20 (35)	19.9
Gonorrhoea	1	5 (11)	2.8		7 (18)	5.2	2	14 (25)	10.0
Syphilis - Infectious		3 (2)	1.4		1 (1)			1 (3)	
Syphilis - Non-Infectious							1	1 (1)	1.7
Vaccine preventable diseases									
Influenza	6	33 (5)	12.7	1	8 (9)	10.3	1	2 (6)	1.7
Measles									
Pertussis					1 (3)	1.7		1 (7)	
Pneumococcal infection		1 (2)			1 (3)			1 (1)	1.7
Rubella (non-congenital)									
Varicella (chicken pox)					1 (1)			1	
Varicella (shingles)		4 (6)	2.8				1	3 (3)	3.3
Varicella (unspecified)	1	3	1.4						
Vector-borne diseases									
Chikungunya									
Dengue fever									
Malaria									
Ross River virus									
Typhus									
Zoonotic diseases									
Leptospirosis									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19									
Legionellosis									
Meningococcal infection									
RSV		3 (6)	1.4		1 (3)		1	13 (13)	8.3
Tuberculosis									
iGAS		1 (1)		1	2 (1)	1.7		1	
Grand Total	12	71 (72)		7	48 (69)		18	81 (105)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				1	1 (0)	0.0
Hepatitis B (unspecified)				11	29 (27)	0.5
Hepatitis C (newly acquired)		1		1	7 (7)	0.0
Hepatitis C (unspecified)				14	52 (44)	0.8
Hepatitis D				1	1 (0)	0.0
Enteric diseases						
Campylobacteriosis		1 (3)	2.5	84	336 (358)	6.4
Cryptosporidiosis				2	13 (66)	0.3
Hepatitis A				0	2 (4)	0.0
Listeriosis				0	1 (1)	0.0
Rotavirus				1	55 (42)	0.4
STEC/VTEC infection	1	2 (6)	4.9	4	18 (20)	0.3
Salmonellosis		2 (3)	2.5	16	65 (105)	1.2
Shigellosis				2	14 (37)	0.1
Typhoid				0	2 (4)	0.0
Vibrio parahaemolyticus				0	3 (1)	0.0
Yersiniosis				2	6 (6)	0.2
Sexually transmissible infections						
Chlamydia (genital)	5	38 (46)	49.1	137	605 (821)	10.1
Gonorrhoea	3	23 (32)	27.0	58	318 (358)	5.3
Syphilis - Infectious		5 (2)	2.5	1	33 (52)	0.4
Syphilis - Non-Infectious		1	2.5	4	16 (14)	0.2
Vaccine preventable diseases						
Influenza	3	14 (12)	12.3	141	1000 (839)	12.8
Measles				0	5 (0)	0.0
Pertussis	1	1 (22)	2.5	12	108 (227)	1.1
Pneumococcal infection	1	1 (2)	2.5	1	9 (19)	0.1
Rubella (non-congenital)				0	2 (0)	0.0
Varicella (chicken pox)		1 (2)		1	32 (51)	0.3
Varicella (shingles)		3 (6)	2.5	3	94 (182)	0.8
Varicella (unspecified)				70	252 (194)	4.2
Vector-borne diseases						
Chikungunya				0	3 (0)	0.0
Dengue fever				4	13 (50)	0.3
Malaria				0	2 (3)	0.0
Ross River virus		1 (3)		1	23 (25)	0.3
Typhus				0	1 (2)	0.0
Zoonotic diseases						
Leptospirosis				0	1 (0)	0.0
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1		0	2 (6)	0.0
COVID-19				0	1 (0)	0.0
Legionellosis				0	3 (3)	0.0
Meningococcal infection				0	2 (0)	0.0
RSV	3	15 (22)	14.7	34	194 (203)	2.7
Tuberculosis				3	14 (11)	0.0
iGAS	1	2 (3)	4.9	3	23 (26)	0.2
Grand Total	18	112 (164)		612	3361 (3829)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 2	
	26/11	03/12	10/12	17/12	24/12	31/12	07/01	14/01	2026	2025
Salmonella Total	22	32	32	15	15	14	20	16	36	59
Serotype/Phage										
Salmonella Aberdeen		1	1			1			0	1
Salmonella Adelaide						2	2		2	0
Salmonella Agona		1							0	0
Salmonella Alachua	1								0	0
Salmonella Anatum							1		1	0
Salmonella Bareilly							1		1	0
Salmonella Bovismorbificans		1	1						0	1
Salmonella Chester		3	3						0	4
Salmonella Choleraesuis bv Australia			1						0	0
Salmonella Choleraesuis bv Decatur						1			0	1
Salmonella Corvallis	1				1				0	0
Salmonella Eastbourne						1			0	0
Salmonella Emek						1			0	0
Salmonella Enteritidis	3	3	3	3		1	1		1	7
Salmonella Give		1							0	0
Salmonella Havana				1					0	0
Salmonella Hofit		1							0	0
Salmonella Hvittingfoss		1							0	0
Salmonella Infantis		1		1	1				0	1
Salmonella Johannesburg		1	3						0	1
Salmonella Kentucky		1	1			1	1		1	3
Salmonella Kiambu	1								0	0
Salmonella Muenchen							1		1	1
Salmonella Muenster				1					0	1
Salmonella Muenster var 15+				3					0	0
Salmonella Newport	2		1		2				0	1
Salmonella Onderstepoort			1						0	0
Salmonella Orion	1								0	0
Salmonella Paratyphi B bv Java		2			2				0	6
Salmonella Poona					1				0	0
Salmonella Saintpaul	1		1						0	3
Salmonella Senftenberg						1			0	1
Salmonella Singapore		1							0	0
Salmonella Stanley							1		1	3
Salmonella Tennessee							1		1	0
Salmonella Typhimurium	7	4	6	3	2	2	2		2	9
Salmonella Virchow		1	2						0	5
Salmonella Wangata					1				0	0
Salmonella Weltevreden		1		1					0	2
Salmonella species	4	8	7	2	5	3	9	16	25	8
Salmonella subsp 1 ser 4,5:i:-	1								0	0
Salmonella subsp IIIB 61:l,v:z35			1						0	0