



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 26-MAR-26 to 20-MAY-26

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

Weekly Report for period 26-MAR-26 to 20-MAY-26

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 20			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2026	2025	2024			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		1		1	1		2		9	6	12	3	1.5	2.0
Hepatitis B (unspecified)	15	10	12	12	8	7	15	11	228	196	205	41	34.9	1.2
Hepatitis C (newly acquired)	3	1	5	1	2	1	1		47	47	40	4	7.2	0.6
Hepatitis C (re-infection newly acquired)	12	3	4	8	2	8	11	1	59	6	9	22	1.0	22.0
Hepatitis C (re-infection unspecified)	6	3	3	6			2	2	24	2	1	4	0.4	10.0
Hepatitis C (unspecified)	13	13	12	7	24	16	20	18	329	302	311	78	59.3	1.3
Hepatitis D				1			1		6	6	7	1	0.9	1.2
Enteric diseases														
Campylobacteriosis	63	60	81	88	75	74	69	18	1678	1606	1822	236	273.3	0.9
Cryptosporidiosis	6	5	4	3	2	4	1	2	83	1034	415	9	53.0	0.2
Hepatitis A		2		1		2	1		13	13	9	3	0.7	4.1
Listeriosis							1	1	5	4	1	2	0.4	5.0
Paratyphoid fever						1	2		6	7	3	3	0.5	6.4
Rotavirus	10	4	6	10	3	5			393	182	322	8	41.2	0.2
STEC/VTEC infection	1	4	3	4	3	1			66	81	92	4	13.1	0.3
Salmonellosis	22	32	31	41	25	34	36	9	622	700	802	104	100.1	1.0
Shigellosis	11	9	9	5	14	9	3		183	222	218	26	24.0	1.1
Typhoid							1		12	10	10	1	0.5	1.9
Vibrio parahaemolyticus	2	1	1	1	2	1			12	8	13	3	1.3	2.4
Yersiniosis	2	2	4	2	2	4	1	1	63	34	21	8	4.1	2.0
Sexually transmissible infections														
Chlamydia (genital)	240	185	231	231	199	287	198	86	4662	5120	5236	770	914.1	0.8
Gonorrhoea	127	92	158	114	124	138	97	30	2459	2038	2121	389	322.2	1.2
Syphilis - Infectious	17	7	16	15	12	15	12	1	281	308	265	40	56.7	0.7
Syphilis - Non-Infectious	6	6	9	6	3	8	6	3	137	113	99	20	20.3	1.0
Vaccine preventable diseases														
Diphtheria	7	9	9	11	8	16	5	2	83	1	0	31	0.1	465.0
H. influenzae type b			1						1	0	0	0	0.0	0.0
Influenza	70	51	46	36	29	55	88	43	1998	6740	2854	215	1185.5	0.2
Measles									5	19	2	0	0.7	0.0
Mumps							1		3	4	5	1	0.5	2.1
Pertussis	25	16	24	31	18	23	17	4	527	840	161	62	41.5	1.5
Pneumococcal infection	1	2	4	3	5	5	8	1	58	70	70	19	17.3	1.1
Tetanus					1				1	1	0	1	0.0	0.0
Varicella (chicken pox)	5	7	5	6	9	7	12	4	172	196	206	32	35.9	0.9
Varicella (shingles)	39	45	48	50	53	46	39	7	869	976	1002	145	188.3	0.8
Varicella (unspecified)	55	54	63	46	60	52	74	39	1158	1030	1020	225	183.7	1.2
Vector-borne diseases														
Barmah Forest virus		1	1		2				11	8	11	2	2.1	0.9
Chikungunya			1			1	1		8	11	3	2	0.9	2.1
Dengue fever	3	2	6	2	1	2	1		89	232	257	4	24.4	0.2
Malaria				1		2	1		23	10	23	3	2.5	1.2
Ross River virus	12	4	5	5	6	4			220	309	153	10	37.5	0.3
Typhus		1							14	18	17	0	2.3	0.0
Zoonotic diseases														
Q Fever						1	1		4	7	3	2	0.9	2.3
Other diseases														
Acute post-streptococcal glomerulonephritis	61	1				3		1	11	12	14	4	1.8	2.2
COVID-19		51	62	72	106	106	139	59	1599	4340	6742	410	*****	0.0
Creutzfeldt-Jakob disease									2	2	2	0	0.5	0.0
Legionellosis	1	1			1	2	1		17	23	25	4	7.0	0.6
Leprosy		2							2	2	0	0	0.1	0.0
Melioidosis						1			4	10	5	1	1.3	0.8
Meningococcal infection									2	5	4	0	1.3	0.0
Mpox		1	2	3		4			12	13	0	4	0.4	10.0
RSV	105	78	151	138	101	120	139	78	1762	1558	1253	438	277.9	1.6
Tuberculosis	1	4	7	5	3	6	3	3	67	65	75	15	11.5	1.3
iGAS	2	8		6	2	5	4	1	87	72	94	12	14.3	0.8
Grand Total	943	778	1024	972	906	1076	1013	426						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 20			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2026	2025	2024			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)			1				2		7	5	9	2	1.2	1.7
Hepatitis B (unspecified)	10	9	11	11	6	7	13	8	188	166	169	34	28.1	1.2
Hepatitis C (newly acquired)	2		3	1	1				33	38	28	1	5.7	0.2
Hepatitis C (re-infection newly acquir	12	3	4	8	2	6	11		55	2	8	19	0.7	25.9
Hepatitis C (re-infection unspecified)	6	3	3	6			2	2	23	2	1	4	0.3	12.0
Hepatitis C (unspecified)	9	11	8	6	17	11	16	14	252	230	233	58	44.4	1.3
Hepatitis D				1				1	6	6	7	1	0.7	1.5
Enteric diseases														
Campylobacteriosis	45	45	63	59	63	64	57	16	1287	1282	1408	200	212.3	0.9
Cryptosporidiosis	6	1	3	1	2	4	1		53	890	360	7	42.1	0.2
Hepatitis A		2		1		2	1		13	10	8	3	0.5	5.6
Listeriosis							1	1	5	3	1	2	0.3	6.0
Paratyphoid fever									3	6	3	0	0.5	0.0
Rotavirus	8	3	5	8	3	5			343	166	299	8	35.5	0.2
STEC/VTEC infection		1	2	3	1				28	35	46	1	6.7	0.1
Salmonellosis	15	22	26	31	14	25	25	6	442	528	629	70	71.3	1.0
Shigellosis	8	6	6	4	11	8	1		139	171	168	20	17.3	1.2
Typhoid							1		10	9	8	1	0.3	3.8
Vibrio parahaemolyticus	2	1	1	1	1	1			11	7	12	2	1.0	2.0
Yersiniosis	2	2	4	2	2	4		1	57	31	19	7	3.5	2.0
Sexually transmissible infections														
Chlamydia (genital)	191	145	178	174	157	239	152	77	3625	4025	4107	625	719.5	0.9
Gonorrhoea	84	66	125	83	92	106	73	26	1829	1481	1595	297	225.9	1.3
Syphilis - Infectious	9	4	10	9	10	10	10	1	193	217	168	31	36.2	0.9
Syphilis - Non-Infectious	5	5	7	5	3	6	6	2	104	81	60	17	13.0	1.3
Vaccine preventable diseases														
Diphtheria									1	0	0	0	0.1	0.0
Influenza	62	35	30	28	22	48	63	32	1635	4832	2147	165	891.5	0.2
Measles									4	9	2	0	0.4	0.0
Mumps							1		3	3	3	1	0.3	3.0
Pertussis	15	14	14	20	15	16	12	2	401	613	56	45	24.9	1.8
Pneumococcal infection	1	2	3	1	2	4	5	1	34	43	41	12	10.6	1.1
Tetanus					1				1	1	0	1	0.0	0.0
Varicella (chicken pox)	5	4	3	6	9	5	9	3	131	141	170	26	27.1	1.0
Varicella (shingles)	21	27	34	36	29	28	27	2	533	583	650	86	123.7	0.7
Varicella (unspecified)	49	53	62	45	53	47	71	36	1114	1009	986	207	177.1	1.2
Vector-borne diseases														
Chikungunya			1				1		6	9	3	1	0.9	1.2
Dengue fever	3	1	6	2	1	1	1		73	183	198	3	19.7	0.2
Malaria				1		2			18	5	18	2	1.9	1.0
Ross River virus	6	2	2	1	2	2			115	208	57	4	20.3	0.2
Typhus		1							10	10	9	0	1.1	0.0
Zoonotic diseases														
Q Fever									1	7	2	0	0.7	0.0
Other diseases														
Acute post-streptococcal glomerulon		1							4	4	6	0	0.3	0.0
COVID-19	50	36	48	61	90	81	118	50	1341	3533	5467	339	*****	0.0
Creutzfeldt-Jakob disease									1	1	2	0	0.3	0.0
Legionellosis	1	1			1	2	1		15	15	20	4	4.9	0.8
Leprosy		1							1	1	0	0	0.1	0.0
Melioidosis						1			1	1	1	1	0.2	5.0
Meningococcal infection									2	3	3	0	0.9	0.0
Mpox		1	2	3		4			12	13	0	4	0.4	10.0
RSV	74	54	113	108	83	92	115	69	1321	1153	822	359	213.0	1.7
Tuberculosis	1	4	5	5	3	6	3	3	62	60	60	15	10.5	1.4
iGAS	1	6		2	2	2	2	1	44	34	55	7	7.8	0.9
Grand Total	703	573	782	733	698	839	801	354						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						0.4		2	0.5
Hepatitis B (unspecified)	2	12 (7)	6.4	3	13 (9)	7.6	3	9 (21)	9.1
Hepatitis C (newly acquired)			0.5		1 (6)	2.3		(1)	1.3
Hepatitis C (re-infection newly acquired)		1	0.5		14	4.0		4	2.4
Hepatitis C (re-infection unspecified)			0.2		1 (1)	1.6	2	3	1.1
Hepatitis C (unspecified)	3	16 (5)	5.7	10	26 (20)	15.7	1	16 (16)	10.0
Hepatitis D			0.1	1	1	0.1		(1)	0.5
Enteric diseases									
Campylobacteriosis	3	80 (90)	54.8	7	65 (79)	54.4	6	55 (109)	49.2
Cryptosporidiosis		4 (55)	2.5		(41)	1.6		3 (25)	2.4
Hepatitis A		(1)	0.4		2	0.8		1	0.5
Listeriosis		1	0.1			0.1	1	1	0.4
Paratyphoid fever			0.1			0.1			0.1
Rotavirus		3 (9)	16.7		3 (14)	11.1		2 (11)	14.2
STEC/VTEC infection		1	1.1		(7)	1.4			0.9
Salmonellosis	3	30 (32)	18.0		20 (30)	20.3	3	20 (24)	16.2
Shigellosis		8 (11)	4.8		7 (5)	5.3		5 (14)	6.8
Typhoid			0.2		(1)	0.4		1	0.6
Vibrio parahaemolyticus		1	0.4		1	0.5		(1)	0.5
Yersiniosis	1	1 (1)	2.1		5 (1)	2.3		1 (3)	2.6
Sexually transmissible infections									
Chlamydia (genital)	23	183 (252)	128.0	28	195 (241)	148.7	26	247 (308)	168.3
Gonorrhoea	9	85 (66)	58.8	11	105 (89)	72.8	6	107 (159)	92.6
Syphilis - Infectious		8 (7)	4.1	1	9 (12)	7.4		14 (20)	12.0
Syphilis - Non-Infectious	1	8 (7)	3.3		3 (3)	2.9	1	6 (10)	6.5
Vaccine preventable diseases									
Diphtheria									0.1
H. influenzae type b									
Influenza	9	58 (388)	81.6	10	42 (278)	57.8	13	65 (374)	61.0
Measles			0.1		(1)	0.3			0.1
Mumps		1	0.1			0.1			0.1
Pertussis	1	14 (35)	17.4	1	18 (37)	18.7		13 (44)	13.4
Pneumococcal infection		3 (5)	1.0	1	3 (5)	1.4		6 (2)	1.8
Tetanus					1	0.1			
Varicella (chicken pox)		4 (9)	4.6	2	12 (13)	5.1	1	10 (14)	6.4
Varicella (shingles)	1	28 (35)	22.4	1	26 (36)	20.0		32 (47)	23.0
Varicella (unspecified)	11	70 (80)	45.4	10	66 (76)	47.0	15	71 (72)	44.7
Vector-borne diseases									
Barmah Forest virus									
Chikungunya		(2)	0.1		1 (2)	0.5		(3)	0.1
Dengue fever		2 (10)	4.2		1 (7)	2.3		(3)	2.4
Malaria			0.2			1.2		2 (2)	0.8
Ross River virus		3 (2)	2.5		1 (8)	6.9		(8)	4.8
Typhus			0.5		(1)	0.4			0.4
Zoonotic diseases									
Q Fever									0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			0.2			0.3			
COVID-19	17	148 (272)	64.7	16	77 (220)	46.8	17	114 (293)	52.7
Creutzfeldt-Jakob disease						0.1			
Legionellosis			0.2		3	0.8		1 (3)	0.8
Leprosy						0.1			
Melioidosis					1	0.1			
Meningococcal infection			0.1			0.1			
Mpox		3 (1)	0.5		1	0.4		(2)	0.6
RSV	21	128 (135)	54.2	19	106 (90)	54.5	29	125 (105)	53.7
Tuberculosis	1	4 (5)	2.4	1	3 (2)	2.1	1	8 (7)	3.1
iGAS		(1)	0.7		2 (2)	2.7	1	5 (3)	2.0
Grand Total	106	908 *****		122	835 *****		126	949 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	0.5						
Hepatitis B (unspecified)		(4)	2.9		2	7.4		(1)	6.1
Hepatitis C (newly acquired)		2 (2)	1.9		(1)	8.9			
Hepatitis C (re-infection newly acquired)	1	3	1.9						
Hepatitis C (re-infection unspecified)									
Hepatitis C (unspecified)	2	8 (3)	11.6		1 (1)	11.9		2 (2)	13.5
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	16 (26)	69.9		7 (7)	69.9		2 (9)	57.7
Cryptosporidiosis		(12)	5.3			5.9			
Hepatitis A									
Listeriosis									
Paratyphoid fever								3	3.7
Rotavirus		(3)	9.2			3.0			9.8
STEC/VTEC infection		(3)	5.8			4.5		1 (4)	4.9
Salmonellosis	1	11 (8)	19.8		6	25.3		3 (2)	24.6
Shigellosis		1	2.9			3.0		1	1.2
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis		1	1.4						1.2
Sexually transmissible infections									
Chlamydia (genital)	1	20 (31)	88.7	1	5 (9)	90.7		6 (12)	68.8
Gonorrhoea		10 (12)	35.2		1 (1)	26.8		3 (3)	27.0
Syphilis - Infectious		(1)	1.0		2	5.9		(1)	3.7
Syphilis - Non-Infectious		2 (2)	3.4			4.5		(2)	2.5
Vaccine preventable diseases									
Diphtheria									
H. influenzae type b									
Influenza	6	22 (87)	63.2	2	4 (36)	46.1		(19)	34.4
Measles									
Mumps									
Pertussis		3 (11)	21.7	2	12 (4)	92.2		1 (7)	4.9
Pneumococcal infection		1 (2)	1.0		1 (3)	5.9			2.5
Tetanus									
Varicella (chicken pox)	1	3 (2)	5.3		1	13.4			6.1
Varicella (shingles)	5	29 (36)	67.0		15 (14)	93.7		1 (9)	27.0
Varicella (unspecified)			1.4	2	3	7.4		(1)	8.6
Vector-borne diseases									
Barmah Forest virus		2	2.9						1.2
Chikungunya		1 (1)	0.5						
Dengue fever		1 (1)	2.9		(2)	1.5			3.7
Malaria			0.5					1	2.5
Ross River virus		2 (4)	24.1		(1)	22.3			8.6
Typhus									
Zoonotic diseases									
Q Fever						1.5		2	2.5
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)		2	1.0	1	2	3.0			1.2
COVID-19	2	23 (60)	56.4	1	6 (18)	28.3	1	8 (13)	36.8
Creutzfeldt-Jakob disease									1.2
Legionellosis			0.5						
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox									
RSV	3	27 (27)	45.8		(14)	25.3		6 (4)	28.2
Tuberculosis			0.5			3.0			
iGAS			2.9		(1)	3.0		1	4.9
Grand Total	23	191 (338)		9	68 (112)		1	41 (89)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						1.7			
Hepatitis B (unspecified)		1 (1)	5.7	2	2	8.6	(1)		3.3
Hepatitis C (newly acquired)			2.8						1.7
Hepatitis C (re-infection newly acquired)									
Hepatitis C (re-infection unspecified)			1.4						
Hepatitis C (unspecified)		2 (4)	12.7	1	3 (1)	10.3	1		13.3
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	4 (1)	69.3		1 (5)	39.6	(3)		51.4
Cryptosporidiosis	2	2	15.5				(5)		5.0
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus					(1)	6.9			8.3
STEC/VTEC infection					(1)	5.2	(1)		8.3
Salmonellosis		1 (1)	2.8		(3)	13.8	4 (5)		58.1
Shigellosis		4 (3)	26.9		1	15.5	(2)		6.6
Typhoid		1 (1)	9.9						
Vibrio parahaemolyticus				1		1.7			
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	1	25 (23)	173.9	2	20 (35)	201.4	2	25 (27)	268.7
Gonorrhoea		13 (10)	87.6	3	17 (19)	124.0		18 (24)	212.3
Syphilis - Infectious			14.1		1 (1)	10.3	1 (4)		28.2
Syphilis - Non-Infectious			12.7		(1)	1.7			1.7
Vaccine preventable diseases									
Diphtheria						3.4	1		5.0
H. influenzae type b									
Influenza	1	4 (25)	84.8		(8)	15.5	2 (16)		43.1
Measles			1.4						
Mumps									
Pertussis			2.8		1 (8)	17.2	(2)		1.7
Pneumococcal infection		2 (2)	5.7		1 (1)	10.3	2		8.3
Tetanus									
Varicella (chicken pox)		1	5.7			3.4	1 (1)		8.3
Varicella (shingles)		5 (6)	43.8		3 (8)	41.3	5 (5)		31.5
Varicella (unspecified)		4	9.9		1	3.4	(1)		1.7
Vector-borne diseases									
Barmah Forest virus									3.3
Chikungunya									1.7
Dengue fever			2.8		(1)	1.7			
Malaria			1.4						1.7
Ross River virus		(2)	2.8			3.4	3		8.3
Typhus			1.4				(1)		1.7
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)		(2)	1.4			1.7			
COVID-19	2	15 (21)	45.2	1	2 (19)	25.8	3 (8)		14.9
Creutzfeldt-Jakob disease									
Legionellosis									1.7
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox									
RSV	1	8 (26)	53.7	2	9 (7)	32.7	1	9 (2)	73.0
Tuberculosis		(1)	1.4						
iGAS			8.5		(3)	6.9	2		5.0
Grand Total	8	92 (129)		11	63 (122)		3	77 (108)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	3 (1)	0.3
Hepatitis B (unspecified)		(4)	9.8	11	41 (51)	7.5
Hepatitis C (newly acquired)		1	2.5	0	4 (10)	1.5
Hepatitis C (re-infection newly acquired)				1	22 (3)	1.9
Hepatitis C (re-infection unspecified)				2	4 (1)	0.8
Hepatitis C (unspecified)	1	3	24.5	18	78 (53)	10.8
Hepatitis D				1	1 (1)	0.2
Enteric diseases						
Campylobacteriosis		2 (4)	54.0	18	236 (340)	55.4
Cryptosporidiosis		(6)	2.5	2	9 (146)	2.7
Hepatitis A				0	3 (2)	0.4
Listeriosis				1	2 (0)	0.2
Paratyphoid fever				0	3 (0)	0.2
Rotavirus		(1)	14.7	0	8 (39)	13.0
STEC/VTEC infection		1 (1)	19.6	0	4 (18)	2.2
Salmonellosis	1	4 (7)	66.3	9	104 (116)	20.5
Shigellosis		2 (4)	31.9	0	26 (37)	6.0
Typhoid				0	1 (1)	0.4
Vibrio parahaemolyticus				0	3 (1)	0.4
Yersiniosis			2.5	1	8 (5)	2.1
Sexually transmissible infections						
Chlamydia (genital)	2	36 (54)	620.9	86	770*****	154.0
Gonorrhoea	1	22 (38)	515.4	30	389 (427)	81.2
Syphilis - Infectious		4 (8)	95.7	1	40 (54)	9.3
Syphilis - Non-Infectious	1	1	19.6	3	20 (26)	4.4
Vaccine preventable diseases						
Diphtheria	2	30	186.5	2	31 (0)	2.7
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza	2	17 (13)	110.4	43	215*****	66.0
Measles				0	0 (1)	0.2
Mumps				0	1 (0)	0.1
Pertussis		(14)	2.5	4	62 (162)	17.4
Pneumococcal infection			2.5	1	19 (20)	1.9
Tetanus				0	1 (0)	0.0
Varicella (chicken pox)		(3)	9.8	4	32 (44)	5.7
Varicella (shingles)		(8)	39.3	7	145 (207)	28.7
Varicella (unspecified)	1	8	22.1	39	225 (231)	38.3
Vector-borne diseases						
Barmah Forest virus			2.5	0	2 (1)	0.4
Chikungunya				0	2 (8)	0.3
Dengue fever				0	4 (26)	2.9
Malaria				0	3 (2)	0.8
Ross River virus		1	54.0	0	10 (25)	7.3
Typhus				0	0 (2)	0.5
Zoonotic diseases						
Q Fever				0	2 (1)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				1	4 (2)	0.4
COVID-19	1	11 (18)	54.0	59	410 (951)	52.8
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis				0	4 (3)	0.6
Leprosy			2.5	0	0 (0)	0.0
Melioidosis		(1)	7.4	0	1 (3)	0.1
Meningococcal infection				0	0 (0)	0.1
Mpox				0	4 (3)	0.4
RSV	1	17 (19)	449.1	78	438 (431)	58.2
Tuberculosis			2.5	3	15 (15)	1.4
iGAS		2 (3)	41.7	1	12 (13)	2.9
Grand Total	13	162 (206)		426	3421 (5757)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 20	
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2026	2025
	Salmonella Total	22	32	31	41	25	34	36	9	622
Serotype/Phage										
Salmonella Aberdeen									0	1
Salmonella Adelaide									1	5
Salmonella Agona	1				1				8	6
Salmonella Albany									1	2
Salmonella Anatum	1								4	2
Salmonella Anatum var 15+									1	0
Salmonella Ball									1	0
Salmonella Bareilly				1					4	24
Salmonella Birkenhead					1				3	0
Salmonella Bispebjerg					1		1		2	0
Salmonella Blukwa					1				1	0
Salmonella Bonn		1							1	3
Salmonella Bootle				1					1	0
Salmonella Bovismorbificans		1		2					4	7
Salmonella Brandenburg		1							1	0
Salmonella Cerro		1							1	2
Salmonella Chailey			2						2	2
Salmonella Chester		1	2	1	1	2	1		21	21
Salmonella Choleraesuis bv Australia		1	1	1	1				14	8
Salmonella Choleraesuis bv Decatur		2				1			9	8
Salmonella Concord									1	1
Salmonella Corvallis			1						2	2
Salmonella Derby				1					1	0
Salmonella Eastbourne									4	3
Salmonella Emek							1		1	6
Salmonella Enteritidis	3	2	4	5	1	2	6		69	65
Salmonella Fremantle subsp II									2	0
Salmonella Give									2	1
Salmonella Give var 15+						1			1	0
Salmonella Havana									8	4
Salmonella Heidelberg									2	6
Salmonella Houten subsp IV					1				1	0
Salmonella Hvittingfoss		1	1		1				5	8
Salmonella Infantis		1	1	3	2	1			24	17
Salmonella Isangi				1					1	0
Salmonella Javiana									0	1
Salmonella Kedougou									1	0
Salmonella Kentucky	2			1	1	1			13	12
Salmonella Kiambu		1							2	8
Salmonella Kottbus			2						3	0
Salmonella Lexington									1	1
Salmonella Livingstone									1	0
Salmonella Llandoff									1	0
Salmonella London							1		3	0
Salmonella Mbandaka			2						5	0
Salmonella Mgulani		1							1	0
Salmonella Montevideo									1	0
Salmonella Muenchen		2	1	1					13	10
Salmonella Muenster					1				4	1

Weekly Report for period 26-MAR-26 to 20-MAY-26

	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	Cumulative Total to end of Week 20	
									2026	2025
Salmonella Total	22	32	31	41	25	34	36	9	622	670
Serotype/Phage										
Salmonella Muenster var 15+				1					1	2
Salmonella Newport	1	1		2	1	1			14	19
Salmonella Ohio						1			1	1
Salmonella Oranienburg									1	5
Salmonella Orientalis									1	1
Salmonella Orion		1	1						2	0
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java	2	1	3	6	2	4	1		44	54
Salmonella Poona			1	1			1		8	2
Salmonella Potsdam	1								2	6
Salmonella Reading	2					1			8	6
Salmonella Rissen									2	1
Salmonella Rubislaw									2	1
Salmonella Saintpaul	1		1	1		2			16	19
Salmonella Senftenberg							1		3	2
Salmonella Singapore		1				2			6	3
Salmonella Stanley	1		1	1	3	1			15	21
Salmonella Tennessee						1			8	5
Salmonella Thompson									4	6
Salmonella Typhimurium	3	6	2	4	3	6	5		85	141
Salmonella Uganda var 15+									1	0
Salmonella Urbana			1						3	0
Salmonella Virchow		1	3	1					22	30
Salmonella Wandsbek subsp II									2	1
Salmonella Wandsworth									2	1
Salmonella Wangata									2	4
Salmonella Waycross				1					1	0
Salmonella Welikade									2	2
Salmonella Weltevreden	1			1		1			11	14
Salmonella Weltevreden var 15+									1	6
Salmonella Zanzibar	1								4	2
Salmonella species	2	4	1	2	3	6	18	9	84	75
Salmonella subsp 1 ser 4,5:i:-		1		2					9	2
Salmonella subsp II									0	0
Salmonella subsp II ser									1	0