



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 02-APR-26 to 27-MAY-26

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

Weekly Report for period 02-APR-26 to 27-MAY-26

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 21			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2026	2025	2024			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1		1	1		2		1	10	8	14	3	1.3	2.3
Hepatitis B (unspecified)	10	12	12	8	7	15	11	9	236	213	212	42	35.7	1.2
Hepatitis C (newly acquired)	1	5	1	2	1	1		2	51	51	43	4	6.9	0.6
Hepatitis C (re-infection newly acquir	3	4	8	2	8	11	4	2	65	6	10	25	1.3	19.7
Hepatitis C (re-infection unspecified)	3	3	6			2	2	1	25	3	1	5	0.5	9.4
Hepatitis C (unspecified)	13	12	7	24	16	20	19	42	368	311	332	97	60.3	1.6
Hepatitis D			1				1		6	6	7	1	0.9	1.2
<b>Enteric diseases</b>														
Campylobacteriosis	60	81	89	75	75	76	54	37	1760	1665	1909	242	276.6	0.9
Cryptosporidiosis	5	4	3	2	5	1	2		84	1043	434	8	49.2	0.2
Hepatitis A	2		1		2	1			13	13	9	3	0.7	4.1
Listeriosis						1	1		5	4	1	2	0.3	6.0
Paratyphoid fever					1	2			6	7	3	3	0.5	5.6
Rotavirus	4	6	11	3	7	2		1	399	193	341	10	40.1	0.2
STEC/VTEC infection	4	4	4	3	1		3	1	71	84	93	5	12.7	0.4
Salmonellosis	32	31	41	26	37	37	24	8	650	727	825	106	96.1	1.1
Shigellosis	9	9	5	14	12	4	4		191	223	230	20	25.1	0.8
Typhoid						1	1		13	10	10	2	0.5	3.8
Vibrio parahaemolyticus	1	1	1	2	1				12	12	14	1	1.3	0.8
Yersiniosis	2	4	2	2	4	1	1	3	66	36	23	9	3.9	2.3
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	185	233	231	200	289	201	226	90	4903	5371	5499	806	917.9	0.9
Gonorrhoea	92	158	114	124	138	101	98	29	2560	2150	2222	366	323.1	1.1
Syphilis - Infectious	8	16	17	13	17	15	14	3	307	319	278	49	57.1	0.9
Syphilis - Non-Infectious	5	9	5	4	6	6	2	5	136	119	103	19	20.7	0.9
<b>Vaccine preventable diseases</b>														
Diphtheria	9	9	11	9	16	8	8		93	1	0	32	0.1	480.0
H. influenzae type b		1							1	0	0	0	0.0	0.0
Influenza	51	46	36	29	57	88	80	26	2063	7292	3067	251	1401.4	0.2
Measles									5	19	2	0	0.6	0.0
Mumps									2	4	6	0	0.5	0.0
Pertussis	16	25	31	19	26	22	14	5	553	885	168	67	40.1	1.7
Pneumococcal infection	2	4	3	5	5	8	4	1	62	73	77	18	17.9	1.0
Tetanus				1					1	1	0	0	0.0	0.0
Varicella (chicken pox)	7	5	6	9	7	13	10	2	181	205	214	32	36.7	0.9
Varicella (shingles)	45	48	50	53	50	48	32	6	914	1020	1060	136	188.2	0.7
Varicella (unspecified)	54	63	46	60	52	71	56	37	1208	1079	1063	216	184.7	1.2
<b>Vector-borne diseases</b>														
Barmah Forest virus	1	1		3	2				14	9	12	2	2.2	0.9
Chikungunya		1			2				8	11	3	2	1.0	2.0
Dengue fever	2	6	2	1	2	1	3	1	93	239	274	7	24.6	0.3
Malaria			1		2	1			23	10	24	3	2.3	1.3
Ross River virus	4	5	5	7	6	2	3		228	311	160	11	33.8	0.3
Typhus	1				1				15	21	17	1	2.1	0.5
<b>Zoonotic diseases</b>														
Q Fever					3	1			6	7	3	4	0.9	4.3
<b>Other diseases</b>														
Acute post-streptococcal glomerulon	1				3		1		11	12	15	4	1.8	2.2
COVID-19	51	63	71	106	108	142	131	45	1721	4832	7394	426	*****	0.0
Creutzfeldt-Jakob disease									2	2	2	0	0.5	0.0
Legionellosis	1			1	3		1		18	24	26	4	6.6	0.6
Leprosy	2								2	2	0	0	0.1	0.0
Melioidosis					1				4	11	5	1	1.2	0.8
Meningococcal infection									2	5	4	0	1.3	0.0
Mpox	1	2	3		4	1	2	1	16	14	0	8	0.4	20.0
RSV	78	151	138	102	120	147	170	86	1949	1689	1376	523	338.5	1.5
Tuberculosis	3	7	5	3	6	3	5	1	65	67	79	15	11.4	1.3
iGAS	8		6	2	5	4	6	1	93	75	100	16	14.8	1.1
<b>Grand Total</b>	<b>777</b>	<b>1029</b>	<b>974</b>	<b>915</b>	<b>1108</b>	<b>1060</b>	<b>993</b>	<b>446</b>						

**METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])**

Disease Category/Disease	Week Ending								Cumulative Total to end of week 21			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2026	2025	2024			
<b>Blood-borne diseases[2]</b>														
Hepatitis B (newly acquired)	1					2		1	8	7	11	3	1.1	2.6
Hepatitis B (unspecified)	9	11	11	6	7	13	8	6	194	178	176	34	28.8	1.2
Hepatitis C (newly acquired)		3	1	1					35	41	31	0	5.6	0.0
Hepatitis C (re-infection newly acquir	3	4	8	2	6	11	3	2	61	2	9	22	0.8	27.5
Hepatitis C (re-infection unspecified)	3	3	6			2	2	1	24	3	1	5	0.5	10.7
Hepatitis C (unspecified)	11	8	6	17	11	16	15	34	283	238	250	76	45.0	1.7
Hepatitis D			1				1		6	6	7	1	0.7	1.5
<b>Enteric diseases</b>														
Campylobacteriosis	45	63	60	63	64	64	49	26	1354	1331	1480	203	214.5	0.9
Cryptosporidiosis	1	3	1	2	4	1	1		54	898	372	6	38.9	0.2
Hepatitis A	2		1		2	1			13	10	8	3	0.5	6.4
Listeriosis						1	1		5	3	1	2	0.3	7.5
Paratyphoid fever									3	6	3	0	0.5	0.0
Rotavirus	3	5	9	3	6	2			347	176	316	8	33.9	0.2
STEC/VTEC infection	1	2	3	1			1		29	38	46	1	6.1	0.2
Salmonellosis	22	26	31	14	28	26	15	7	462	551	642	76	68.8	1.1
Shigellosis	6	6	4	11	11	2	2		145	172	176	15	18.3	0.8
Typhoid						1	1		11	9	8	2	0.3	7.5
Vibrio parahaemolyticus	1	1	1	1	1				11	9	13	1	1.0	1.0
Yersiniosis	2	4	2	2	4		1	3	60	32	21	8	3.4	2.4
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	145	179	175	157	240	156	183	67	3808	4222	4319	646	722.1	0.9
Gonorrhoea	66	125	83	92	106	75	73	24	1901	1566	1672	278	227.1	1.2
Syphilis - Infectious	5	10	9	10	11	13	7	2	207	224	176	33	36.3	0.9
Syphilis - Non-Infectious	4	7	4	4	4	6	1	5	102	85	63	16	12.9	1.2
<b>Vaccine preventable diseases</b>														
Diphtheria									1	0	0	0	0.1	0.0
Influenza	35	30	28	22	50	63	60	19	1684	5294	2311	192	1048.5	0.2
Measles									4	9	2	0	0.4	0.0
Mumps									2	3	4	0	0.4	0.0
Pertussis	14	15	20	15	18	12	8	5	415	646	58	43	23.7	1.8
Pneumococcal infection	2	3	1	2	4	5	2	1	36	45	45	12	11.1	1.1
Tetanus				1					1	1	0	0	0.0	0.0
Varicella (chicken pox)	4	3	6	9	5	9	7	1	136	148	177	22	27.9	0.8
Varicella (shingles)	27	34	36	29	31	32	19	1	559	610	684	83	123.1	0.7
Varicella (unspecified)	53	62	45	53	47	69	51	34	1161	1056	1028	201	178.1	1.1
<b>Vector-borne diseases</b>														
Barmah Forest virus					1				1	4	7	1	0.9	1.2
Chikungunya		1			1				6	9	3	1	0.9	1.1
Dengue fever	1	6	2	1	1	1	2	1	76	188	211	5	19.9	0.3
Malaria			1		2				18	5	19	2	1.8	1.1
Ross River virus	2	2	1	3	4	2			120	209	59	6	18.3	0.3
Typhus	1								10	10	9	0	0.9	0.0
<b>Zoonotic diseases</b>														
Q Fever						1			2	7	2	1	0.8	1.3
<b>Other diseases</b>														
Acute post-streptococcal glomerulon	1								4	4	6	0	0.5	0.0
COVID-19	36	49	60	90	82	120	110	41	1445	3938	5982	353	*****	0.0
Creutzfeldt-Jakob disease									1	1	2	0	0.3	0.0
Legionellosis	1			1	3		1		16	16	20	4	4.5	0.9
Leprosy	1								1	1	0	0	0.1	0.0
Melioidosis					1				1	2	1	1	0.3	3.8
Meningococcal infection									2	3	3	0	0.9	0.0
Mpox	1	2	3		4	1	2	1	16	14	0	8	0.4	20.0
RSV	54	113	108	83	93	122	149	71	1480	1245	914	435	267.5	1.6
Tuberculosis	3	5	5	3	6	3	5		60	62	64	14	10.3	1.4
iGAS	6		2	2	2	2	6		49	37	56	10	8.0	1.3
<b>Grand Total</b>	<b>572</b>	<b>785</b>	<b>734</b>	<b>700</b>	<b>860</b>	<b>834</b>	<b>786</b>	<b>353</b>						

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)						0.4	1	3 (2)	0.6
Hepatitis B (unspecified)	1	11 (9)	6.5	3	15 (7)	8.0	2	8 (27)	9.3
Hepatitis C (newly acquired)			0.5		(7)	2.6		(2)	1.3
Hepatitis C (re-infection newly acquired)			0.5	1	15	4.4	1	7	2.7
Hepatitis C (re-infection unspecified)			0.2	1	2 (1)	1.7		3	1.1
Hepatitis C (unspecified)	2	14 (8)	5.9	3	22 (18)	15.8	29	40 (14)	13.3
Hepatitis D			0.1		1	0.1		(1)	0.5
<b>Enteric diseases</b>									
Campylobacteriosis	9	82 (91)	57.7	5	58 (88)	56.7	12	63 (105)	52.1
Cryptosporidiosis		2 (41)	2.5		(38)	1.6		4 (19)	2.5
Hepatitis A		(1)	0.4		2	0.8		1	0.5
Listeriosis		1	0.1			0.1		1	0.4
Paratyphoid fever			0.1			0.1			0.1
Rotavirus		3 (10)	16.9		4 (13)	11.3		1 (13)	14.2
STEC/VTEC infection			1.1		1 (8)	1.6		(1)	0.9
Salmonellosis	3	30 (37)	18.9	2	22 (33)	21.1	2	24 (26)	17.0
Shigellosis		4 (8)	5.0		5 (4)	5.6		6 (10)	7.2
Typhoid		1	0.4		(1)	0.4		1	0.6
Vibrio parahaemolyticus		(1)	0.4		1	0.5		(2)	0.5
Yersiniosis		1 (1)	2.1	2	5	2.6	1	2 (3)	2.7
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	17	191 (262)	134.0	17	199 (234)	156.4	33	256 (320)	177.0
Gonorrhoea	5	71 (64)	60.3	6	104 (96)	77.0	13	103 (169)	95.8
Syphilis - Infectious	1	11 (4)	4.7	1	9 (13)	7.8		13 (20)	12.7
Syphilis - Non-Infectious	2	7 (6)	3.0	1	4 (2)	2.9	2	5 (11)	6.5
<b>Vaccine preventable diseases</b>									
Diphtheria									0.1
H. influenzae type b									
Influenza	5	60 (462)	83.4	4	47 (355)	58.8	10	85 (467)	64.0
Measles			0.1		(1)	0.3			0.1
Mumps						0.1			0.1
Pertussis	3	13 (39)	17.8	1	20 (40)	19.7	1	10 (48)	13.8
Pneumococcal infection		4 (5)	1.1	1	4 (5)	1.6		4 (2)	1.8
Tetanus						0.1			
Varicella (chicken pox)		3 (13)	4.7		9 (12)	5.2	1	10 (15)	6.7
Varicella (shingles)		33 (34)	23.9	1	25 (35)	20.9		25 (47)	23.7
Varicella (unspecified)	13	65 (85)	47.0	13	61 (77)	49.0	8	75 (66)	46.7
<b>Vector-borne diseases</b>									
Barmah Forest virus		1	0.1						
Chikungunya		(1)	0.1		1 (2)	0.5		(3)	0.1
Dengue fever		4 (9)	4.5	1	1 (7)	2.5		(4)	2.4
Malaria			0.2			1.2		2 (2)	0.8
Ross River virus		1 (2)	2.7		3 (5)	7.2		2 (7)	5.1
Typhus			0.5			0.4			0.4
<b>Zoonotic diseases</b>									
Q Fever								1	0.2
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)			0.2			0.3			
COVID-19	15	137 (359)	69.1	18	103 (301)	51.8	8	113 (423)	56.3
Creutzfeldt-Jakob disease						0.1			
Legionellosis		1	0.4		3	0.8		(4)	0.8
Leprosy						0.1			
Melioidosis					1	0.1			
Meningococcal infection			0.1			0.1			
Mpox	1	4 (1)	0.6		3 (1)	0.7		1 (2)	0.7
RSV	33	175 (136)	63.0	14	111 (104)	59.2	24	149 (121)	59.6
Tuberculosis		3 (5)	2.4		3 (1)	2.0		8 (8)	2.9
iGAS		2 (2)	1.0		2 (4)	2.9		6 (3)	2.2
<b>Grand Total</b>	<b>110</b>	<b>935 *****</b>		<b>95</b>	<b>866 *****</b>		<b>148</b>	<b>1032 *****</b>	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		(4)	2.4		1	7.4		(3)	6.1
Hepatitis C (newly acquired)	1	2 (2)	2.4			8.9			
Hepatitis C (re-infection newly acquired)		3	1.9						
Hepatitis C (re-infection unspecified)									
Hepatitis C (unspecified)	2	7 (4)	12.5	2	3 (1)	14.9		1 (2)	13.5
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	4	16 (24)	72.8	1	8 (4)	72.9	4	5 (9)	62.6
Cryptosporidiosis		(9)	5.3			5.9			
Hepatitis A									
Listeriosis									
Paratyphoid fever							3		3.7
Rotavirus		(2)	9.2	1	1	4.5		(1)	9.8
STEC/VTEC infection	1	2 (2)	6.8			4.5		1 (3)	4.9
Salmonellosis		11 (6)	21.7	1	5 (2)	28.3		4 (3)	25.8
Shigellosis		2	3.4			3.0		1	1.2
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis		1	1.4						1.2
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	7	25 (41)	95.5	1	8 (6)	95.2		5 (15)	68.8
Gonorrhoea	1	7 (17)	36.2		1	26.8		2 (4)	28.2
Syphilis - Infectious		2 (1)	1.9		2	5.9		(1)	3.7
Syphilis - Non-Infectious		2 (2)	3.4			4.5		(2)	2.5
<b>Vaccine preventable diseases</b>									
Diphtheria									
H. influenzae type b									
Influenza	5	30 (106)	68.0		4 (37)	47.6		(29)	34.4
Measles									
Mumps									
Pertussis		5 (14)	22.7		16 (7)	105.6		2 (7)	6.1
Pneumococcal infection		(2)	1.0		1 (3)	5.9			2.5
Tetanus									
Varicella (chicken pox)	1	6 (3)	6.8		2 (1)	14.9			6.1
Varicella (shingles)	3	25 (31)	70.9	1	16 (16)	104.1	1	1 (6)	28.2
Varicella (unspecified)		(2)	1.4	1	1	3.0			8.6
<b>Vector-borne diseases</b>									
Barmah Forest virus			2.9						1.2
Chikungunya		1	0.5						
Dengue fever		1 (1)	2.9		(1)	1.5			3.7
Malaria			0.5				1		2.5
Ross River virus		2 (4)	24.6		2 (1)	25.3			8.6
Typhus		1	0.5						
<b>Zoonotic diseases</b>									
Q Fever						1.5		3	3.7
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)		2	1.0		2	3.0			1.2
COVID-19	1	23 (88)	60.3		6 (29)	29.7		9 (20)	39.3
Creutzfeldt-Jakob disease									1.2
Legionellosis			0.5						
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox									
RSV	8	33 (34)	52.1		3 (23)	29.7		5 (5)	29.5
Tuberculosis			0.5			1.5			
iGAS	1	1	3.4			3.0		1	4.9
<b>Grand Total</b>	<b>35</b>	<b>210 (399)</b>		<b>8</b>	<b>82 (131)</b>		<b>5</b>	<b>44 (110)</b>	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)						1.7			
Hepatitis B (unspecified)		(1)	5.7	2	4 (1)	12.1	1	1 (1)	5.0
Hepatitis C (newly acquired)			2.8					(1)	1.7
Hepatitis C (re-infection newly acquired)			1.4						
Hepatitis C (re-infection unspecified)			12.7	1	4	12.1	2	3	16.6
Hepatitis C (unspecified)		1 (3)							
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		4 (3)	69.3		1 (4)	39.6	1	2 (2)	54.7
Cryptosporidiosis		2 (1)	15.5					(4)	5.0
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus					(1)	6.9			8.3
STEC/VTEC infection			2.8			5.2		1 (1)	10.0
Salmonellosis		1 (3)	26.9		(3)	13.8		3 (5)	59.7
Shigellosis			9.9			15.5		1 (1)	8.3
Typhoid									
Vibrio parahaemolyticus						1.7			
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	2	23 (24)	183.7	4	24 (31)	220.4	5	24 (26)	283.6
Gonorrhoea		8 (5)	90.5	1	18 (17)	132.6	1	24 (25)	228.9
Syphilis - Infectious		1	15.5		3 (1)	18.9		1 (5)	28.2
Syphilis - Non-Infectious			12.7		(2)	3.4			1.7
<b>Vaccine preventable diseases</b>									
Diphtheria						3.4		3	10.0
H. influenzae type b									
Influenza		4 (34)	86.2		(7)	15.5	1	3 (19)	44.8
Measles			1.4						
Mumps									
Pertussis		(1)	2.8		1 (6)	17.2		(2)	1.7
Pneumococcal infection		1 (2)	5.7		(1)	10.3		3	10.0
Tetanus									
Varicella (chicken pox)		1	5.7			3.4		1 (1)	8.3
Varicella (shingles)		3 (7)	45.2		3 (5)	43.0		4 (6)	33.2
Varicella (unspecified)		3	9.9		2	6.9		(1)	1.7
<b>Vector-borne diseases</b>									
Barmah Forest virus								(1)	3.3
Chikungunya									1.7
Dengue fever			2.8		1	3.4			
Malaria			1.4						1.7
Ross River virus		(2)	2.8			3.4		1	8.3
Typhus			1.4					(1)	1.7
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)		(2)	1.4			1.7			
COVID-19	1	14 (28)	48.1	1	2 (18)	27.5	1	5 (8)	18.2
Creutzfeldt-Jakob disease									
Legionellosis									1.7
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox									
RSV	2	10 (33)	58.0		9 (8)	34.4	1	8 (4)	76.3
Tuberculosis		(1)	1.4	1	1	1.7			
iGAS			8.5		(3)	6.9		2	5.0
<b>Grand Total</b>	<b>5</b>	<b>76 (150)</b>		<b>10</b>	<b>73 (108)</b>		<b>13</b>	<b>90 (114)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				1	3 (3)	0.3
Hepatitis B (unspecified)		(5)	9.8	9	42 (60)	7.8
Hepatitis C (newly acquired)	1	2	4.9	2	4 (12)	1.6
Hepatitis C (re-infection newly acquired)				2	25 (3)	2.1
Hepatitis C (re-infection unspecified)				1	5 (1)	0.8
Hepatitis C (unspecified)		1	24.5	42	97 (51)	12.1
Hepatitis D				0	1 (1)	0.2
<b>Enteric diseases</b>						
Campylobacteriosis	1	1 (4)	56.4	37	242 (340)	58.1
Cryptosporidiosis		(5)	2.5	0	8 (119)	2.8
Hepatitis A				0	3 (2)	0.4
Listeriosis				0	2 (0)	0.2
Paratyphoid fever				0	3 (0)	0.2
Rotavirus		(1)	14.7	1	10 (41)	13.2
STEC/VTEC infection		(1)	19.6	1	5 (16)	2.3
Salmonellosis		4 (7)	66.3	8	106 (127)	21.5
Shigellosis		1 (4)	31.9	0	20 (27)	6.3
Typhoid				0	2 (1)	0.4
Vibrio parahaemolyticus				0	1 (5)	0.4
Yersiniosis			2.5	3	9 (5)	2.2
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	1	37 (55)	638.1	90	806*****	162.0
Gonorrhoea		19 (38)	527.6	29	366 (441)	84.6
Syphilis - Infectious	1	6 (8)	105.5	3	49 (53)	10.1
Syphilis - Non-Infectious		1	19.6	5	19 (27)	4.4
<b>Vaccine preventable diseases</b>						
Diphtheria		29	203.7	0	32 (0)	3.1
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza	1	18 (6)	117.8	26	251*****	68.1
Measles				0	0 (1)	0.2
Mumps				0	0 (0)	0.1
Pertussis		(11)	2.5	5	67 (175)	18.3
Pneumococcal infection		1	4.9	1	18 (20)	2.0
Tetanus				0	0 (0)	0.0
Varicella (chicken pox)		(3)	9.8	2	32 (48)	6.0
Varicella (shingles)		(6)	39.3	6	136 (197)	30.2
Varicella (unspecified)	1	6	27.0	37	216 (232)	39.9
<b>Vector-borne diseases</b>						
Barmah Forest virus		1	7.4	0	2 (2)	0.5
Chikungunya				0	2 (6)	0.3
Dengue fever				1	7 (25)	3.1
Malaria				0	3 (2)	0.8
Ross River virus			54.0	0	11 (21)	7.5
Typhus				0	1 (4)	0.5
<b>Zoonotic diseases</b>						
Q Fever				0	4 (1)	0.2
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)				0	4 (2)	0.4
COVID-19		12 (15)	58.9	45	426*****	56.9
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Legionellosis				0	4 (4)	0.6
Leprosy			2.5	0	0 (0)	0.0
Melioidosis		(1)	7.4	0	1 (3)	0.1
Meningococcal infection				0	0 (0)	0.1
Mpox				1	8 (4)	0.5
RSV	4	17 (16)	461.4	86	523 (486)	64.4
Tuberculosis			2.5	1	15 (15)	1.4
iGAS		2 (2)	41.7	1	16 (14)	3.1
<b>Grand Total</b>	<b>10</b>	<b>158 (188)</b>		<b>446</b>	<b>3607 (6470)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 21	
	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	2026	2025
	<b>Salmonella Total</b>	<b>32</b>	<b>31</b>	<b>41</b>	<b>26</b>	<b>37</b>	<b>37</b>	<b>24</b>	<b>8</b>	<b>650</b>
<b>Serotype/Phage</b>										
Salmonella Aberdeen									0	1
Salmonella Adelaide									1	5
Salmonella Agona				1					8	7
Salmonella Albany									1	2
Salmonella Anatum									4	2
Salmonella Anatum var 15+									1	0
Salmonella Ball									1	0
Salmonella Bareilly			1						4	25
Salmonella Birkenhead				1					3	0
Salmonella Bispebjerg				1		1			2	0
Salmonella Blukwa				1					1	0
Salmonella Bonn	1								1	3
Salmonella Bootle			1						1	0
Salmonella Bovismorbificans	1		2						4	8
Salmonella Brandenburg	1								1	0
Salmonella Cerro	1								1	2
Salmonella Chailey		2							2	2
Salmonella Chester	1	2	1	1	2	2			22	22
Salmonella Choleraesuis bv Australia	1	1	1	1					14	10
Salmonella Choleraesuis bv Decatur	2				1	1			10	8
Salmonella Concord									1	1
Salmonella Corvallis		1							2	3
Salmonella Derby			1						1	1
Salmonella Eastbourne									4	3
Salmonella Emek						1			1	6
Salmonella Enteritidis	2	4	5	3	2	6	3		74	67
Salmonella Fremantle subsp II									2	0
Salmonella Give									2	1
Salmonella Give var 15+					1				1	0
Salmonella Havana							1		9	4
Salmonella Heidelberg									2	6
Salmonella Houten subsp IV				1					1	0
Salmonella Hvittingfoss	1	1		1					5	8
Salmonella Infantis	1	1	3	2	1				24	17
Salmonella Isangi			1						1	0
Salmonella Javiana									0	2
Salmonella Kedougou									1	0
Salmonella Kentucky			1	1	2				14	12
Salmonella Kiambu	1								2	10
Salmonella Kottbus		2							3	0
Salmonella Lexington									1	1
Salmonella Livingstone									1	0
Salmonella Llandoff									1	0
Salmonella London						1			3	0
Salmonella Mbandaka		2							5	0
Salmonella Mgulani	1								1	0
Salmonella Montevideo									1	1
Salmonella Muenchen	2	1	1				1		14	10
Salmonella Muenster				1					4	1

# Weekly Report for period 02-APR-26 to 27-MAY-26

	08/04	15/04	22/04	29/04	06/05	13/05	20/05	27/05	Cumulative Total to end of Week 21	
									2026	2025
<b>Salmonella Total</b>	<b>32</b>	<b>31</b>	<b>41</b>	<b>26</b>	<b>37</b>	<b>37</b>	<b>24</b>	<b>8</b>	<b>650</b>	<b>697</b>
<b>Serotype/Phage</b>										
Salmonella Muenster var 15+			1						1	2
Salmonella Newport	1		2	1	1		1		15	19
Salmonella Ohio					1				1	1
Salmonella Oranienburg									1	5
Salmonella Orientalis									1	1
Salmonella Orion	1	1							2	0
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java	1	3	6	2	4	6	1		50	58
Salmonella Poona		1	1			1			8	2
Salmonella Potsdam									2	6
Salmonella Reading					1				8	6
Salmonella Rissen							1		3	2
Salmonella Rubislaw									2	2
Salmonella Saintpaul		1	1		2	2	2		21	20
Salmonella Senftenberg						1			3	2
Salmonella Singapore	1				2		1		7	3
Salmonella Stanley		1	1	3	1		1		16	21
Salmonella Tennessee					1				8	5
Salmonella Thompson									4	6
Salmonella Typhimurium	6	2	4	3	7	7	1		89	143
Salmonella Uganda var 15+									1	0
Salmonella Urbana		1							3	0
Salmonella Virchow	1	3	1						22	30
Salmonella Wandsbek subsp II									2	1
Salmonella Wandsworth									2	1
Salmonella Wangata									2	4
Salmonella Waycross			1						1	0
Salmonella Welikade									2	2
Salmonella Weltevreden			1		1	1			12	14
Salmonella Weltevreden var 15+									1	6
Salmonella Zanzibar									4	2
Salmonella species	4	1	2	2	6	7	11	8	81	79
Salmonella subsp 1 ser 4,5:i:-	1		2		1				10	2
Salmonella subsp II									0	0
Salmonella subsp II ser									1	0