



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 04-JUN-26 to 29-JUL-26

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 30			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	10/06	17/06	24/06	01/07	08/07	15/07	22/07	29/07	2026	2025	2024			
Blood-borne diseases[2]														
Hepatitis B (newly acquired)			2	3					16	12	16	0	0.8	0.0
Hepatitis B (unspecified)	11	15	11	7	12	16	10	10	331	311	303	48	36.2	1.3
Hepatitis C (newly acquired)	1	1	1	2			1	1	72	69	71	2	8.3	0.2
Hepatitis C (re-infection newly acquired)	2	1	4	8	2	1	3	2	94	10	21	8	1.6	5.0
Hepatitis C (re-infection unspecified)	2	3	2	2	1	1	3		40	4	5	5	0.5	10.7
Hepatitis C (unspecified)	11	19	16	21	7	13	10	11	475	466	469	41	58.1	0.7
Hepatitis D	2				1	1	1		11	14	11	3	1.4	2.1
Enteric diseases														
Campylobacteriosis	71	104	89	71	96	80	81	45	2532	2412	2671	302	321.8	0.9
Cryptosporidiosis	7	3	1	2	3		4		109	1153	579	7	24.7	0.3
Hepatitis A									13	18	12	0	1.4	0.0
Listeriosis			1	3					10	5	4	0	0.5	0.0
Paratyphoid fever									6	7	5	0	0.2	0.0
Rotavirus	7	7	5	3	3	2	8	1	459	509	493	14	67.0	0.2
STEC/VTEC infection	3	4	3	5	5	1	1		101	118	127	7	12.3	0.6
Salmonellosis	23	22	17	33	22	21	18	10	874	963	1109	71	79.3	0.9
Shigellosis	2	8	8	7	7	3	6		248	282	331	16	27.0	0.6
Typhoid									13	14	13	0	1.5	0.0
Vibrio parahaemolyticus	2	1	1	1	1		1		19	16	16	2	0.6	3.3
Yersiniosis	4	2			2	2	3		84	50	30	7	4.7	1.5
Sexually transmissible infections														
Chlamydia (genital)	218	220	223	245	201	186	239	88	6885	7425	7722	714	929.6	0.8
Gonorrhoea	125	110	101	135	104	93	104	34	3536	3018	3102	335	337.8	1.0
Syphilis - Infectious	12	11	13	14	11	11	13	6	419	463	376	41	56.5	0.7
Syphilis - Non-Infectious	10	18	11	7	6	6	7	3	224	185	147	22	23.7	0.9
Vaccine preventable diseases														
Diphtheria	13	14	10	5	8	7	2		197	1	0	17	0.0	0.0
H. influenzae type b									1	0	0	0	0.1	0.0
Influenza	129	219	371	515	575	520	489	177	5202	16301	8115	1761	3115.7	0.6
Measles									5	25	2	0	1.1	0.0
Mumps									3	6	8	0	0.5	0.0
Pertussis	24	30	36	26	21	24	21	9	818	1172	301	75	46.2	1.6
Pneumococcal infection	4	6	5	11	13	6	6	1	124	142	131	26	30.1	0.9
Rubella (non-congenital)						1			1	0	1	1	0.3	3.8
Tetanus									1	1	0	0	0.0	0.0
Varicella (chicken pox)	15	19	12	11	17	13	7	2	310	322	298	39	40.1	1.0
Varicella (shingles)	56	39	46	34	47	33	24	6	1393	1424	1454	110	184.1	0.6
Varicella (unspecified)	65	65	54	59	53	53	65	29	1649	1534	1517	200	189.7	1.1
Vector-borne diseases														
Barmah Forest virus							1		15	10	15	1	1.2	0.8
Chikungunya					2				11	19	5	2	1.5	1.4
Dengue fever	2	3	3	3	3	3	5		119	277	410	11	18.5	0.6
Malaria		1	1	1	1				28	13	34	1	2.7	0.4
Murray Valley encephalitis virus									1	3	4	0	0.2	0.0
Ross River virus	7	6	5	3	2		1		271	334	182	3	12.7	0.2
Typhus		1		1	1	1			20	26	25	2	2.7	0.7
Zoonotic diseases														
Leptospirosis						1	1		3	1	0	2	0.1	30.0
Q Fever			1						7	10	6	0	0.7	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis		2	2						15	12	25	0	1.6	0.0
Amoebic meningitis									1	0	0	0	0.1	0.0
COVID-19	119	145	135	155	167	172	142	52	2999	9254	11056	533	9187.5	0.1
Creutzfeldt-Jakob disease									2	2	2	0	0.7	0.0
Legionellosis			2	2					24	33	43	0	4.6	0.0
Leprosy									2	2	0	0	0.2	0.0
Melioidosis									4	11	5	0	0.3	0.0
Meningococcal infection					1				3	9	5	1	0.9	1.2
Mpox	1		1	1	1	3			38	15	0	4	0.6	6.7
RSV	316	420	532	657	667	694	598	286	6473	6019	4249	2245	1491.7	1.5
Tuberculosis	6	1	4	3		7	1	4	91	104	113	12	11.8	1.0
iGAS	9	2	8	5	4	1	2		135	117	152	7	16.5	0.4
Grand Total	1279	1522	1737	2061	2067	1976	1878	777						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 30			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	10/06	17/06	24/06	01/07	08/07	15/07	22/07	29/07	2026	2025	2024			
Blood-borne diseases[2]														
Hepatitis B (newly acquired)			1	3					12	10	13	0	0.6	0.0
Hepatitis B (unspecified)	10	10	8	7	11	12	9	6	270	255	256	38	29.7	1.3
Hepatitis C (newly acquired)	1						1		47	52	55	1	6.9	0.1
Hepatitis C (re-infection newly acquired)	2	1	2	8	2	1	3	1	85	3	18	7	1.0	7.0
Hepatitis C (re-infection unspecified)	2	2	2	2	1	1	3		38	3	5	5	0.4	12.5
Hepatitis C (unspecified)	7	16	10	17	5	12	4	5	358	357	356	26	42.8	0.6
Hepatitis D	2				1	1	1		11	13	8	3	1.2	2.5
Enteric diseases														
Campylobacteriosis	59	83	74	59	72	62	59	36	1959	1902	2086	229	248.4	0.9
Cryptosporidiosis	5	2		1	1		4		69	982	495	5	18.4	0.3
Hepatitis A									13	11	11	0	0.9	0.0
Listeriosis				3					9	4	4	0	0.5	0.0
Paratyphoid fever									3	6	5	0	0.2	0.0
Rotavirus	7	7	5	3	2	2	5	1	402	280	448	10	38.3	0.3
STEC/VTEC infection	1	1	1	2	1		1		40	50	59	2	5.5	0.4
Salmonellosis	14	13	12	25	13	13	16	8	620	712	865	50	57.8	0.9
Shigellosis	1	6	6	2	5	3	3		185	204	255	11	18.4	0.6
Typhoid									11	12	11	0	1.1	0.0
Vibrio parahaemolyticus	2	1	1	1	1		1		18	12	14	2	0.5	4.3
Yersiniosis	2	2			2	2	3		77	44	28	7	4.2	1.7
Sexually transmissible infections														
Chlamydia (genital)	172	158	181	192	168	133	175	70	5344	5827	6052	546	726.1	0.8
Gonorrhoea	87	77	71	98	79	63	73	23	2594	2171	2312	238	235.1	1.0
Syphilis - Infectious	8	9	11	11	8	9	12	5	291	327	247	34	35.7	1.0
Syphilis - Non-Infectious	10	12	10	6	5	5	5	2	173	138	88	17	16.5	1.0
Vaccine preventable diseases														
Diphtheria		1							2	0	0	0	0.0	0.0
Influenza	99	163	286	396	430	408	363	138	4067	12649	6299	1339	2395.8	0.6
Measles									4	15	2	0	1.1	0.0
Mumps									3	3	6	0	0.2	0.0
Pertussis	13	12	21	17	12	18	17	8	577	842	95	55	26.9	2.0
Pneumococcal infection	3	5	3	7	9	5	5		79	94	77	19	18.5	1.0
Rubella (non-congenital)						1			1	0	1	1	0.3	3.8
Tetanus									1	1	0	0	0.0	0.0
Varicella (chicken pox)	12	18	9	8	14	9	4	1	238	232	233	28	30.5	0.9
Varicella (shingles)	38	21	29	22	34	22	12	3	875	881	938	71	124.6	0.6
Varicella (unspecified)	65	64	53	58	53	53	65	27	1619	1502	1459	198	180.9	1.1
Vector-borne diseases														
Barmah Forest virus									1	5	8	0	0.2	0.0
Chikungunya					2				9	17	4	2	1.2	1.7
Dengue fever	2	3	3	3	2	3	5		101	219	320	10	15.1	0.7
Malaria		1	1	1	1				23	8	27	1	2.3	0.4
Murray Valley encephalitis virus									1	0	2	0	0.0	0.0
Ross River virus	4	3	2	1	1				144	219	67	1	5.3	0.2
Typhus				1	1	1			14	15	13	2	1.9	1.1
Zoonotic diseases														
Q Fever			1						3	9	3	0	0.2	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis		1							5	4	8	0	0.3	0.0
Amoebic meningitis									1	0	0	0	0.0	0.0
COVID-19	107	131	112	130	142	155	125	46	2557	7669	8893	468	8079.2	0.1
Creutzfeldt-Jakob disease									1	1	2	0	0.6	0.0
Legionellosis			2	2					22	24	34	0	3.3	0.0
Leprosy									1	1	0	0	0.0	0.0
Melioidosis									1	2	1	0	0.1	0.0
Meningococcal infection					1				3	6	3	1	0.7	1.4
Mpox					1	3			36	15	0	4	0.5	7.5
RSV	279	365	450	572	553	596	511	248	5338	4996	3409	1908	1259.5	1.5
Tuberculosis	5	1	4	3		6	1	3	83	97	93	10	11.1	0.9
iGAS	8		6	4	2	1	1		78	63	81	4	8.3	0.5
Grand Total	1028	1189	1378	1666	1635	1600	1487	631						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						0.7		(1)	0.8
Hepatitis B (unspecified)	1	11 (8)	8.7	2	9 (12)	11.0	3	18 (17)	13.4
Hepatitis C (newly acquired)			0.5		1 (4)	2.0		(6)	3.3
Hepatitis C (re-infection newly acquired)			0.6	1	5	6.7		2	3.4
Hepatitis C (re-infection unspecified)		1	0.4		4	3.1			1.3
Hepatitis C (unspecified)		3 (14)	8.1	3	11 (14)	21.1	2	12 (18)	15.2
Hepatitis D		1	0.2			0.1		2 (4)	0.9
Enteric diseases									
Campylobacteriosis	14	86 (87)	84.5	12	65 (88)	81.1	10	78 (98)	75.3
Cryptosporidiosis		2 (12)	3.4		1 (7)	1.8		2 (14)	3.2
Hepatitis A			0.4			0.8			0.5
Listeriosis			0.5			0.1			0.5
Paratyphoid fever			0.1			0.1			0.1
Rotavirus		(20)	18.7		4 (16)	13.3	1	6 (26)	17.1
STEC/VTEC infection		(2)	1.3		2 (2)	2.3		(2)	1.3
Salmonellosis	4	21 (25)	27.2	1	14 (28)	27.9	3	15 (22)	21.3
Shigellosis		4 (4)	7.0		4 (6)	7.0		3 (3)	8.6
Typhoid			0.4			0.4		(3)	0.6
Vibrio parahaemolyticus		2	0.7			0.8			0.7
Yersiniosis		3 (1)	2.8		2 (1)	3.1		2 (1)	3.5
Sexually transmissible infections									
Chlamydia (genital)	20	173 (198)	189.9	21	139 (243)	213.9	29	234 (262)	251.7
Gonorrhoea	4	47 (62)	78.6	5	77 (76)	107.6	14	114 (142)	132.0
Syphilis - Infectious		7 (5)	6.4		11 (11)	11.5	5	16 (26)	17.7
Syphilis - Non-Infectious		4 (7)	4.7	1	3 (3)	5.5	1	10 (12)	10.9
Vaccine preventable diseases									
Diphtheria			0.1						0.1
H. influenzae type b									
Influenza	59	468*****	175.4	38	362*****	147.5	41	509*****	175.3
Measles		(1)	0.1		(2)	0.3		(1)	0.1
Mumps						0.1			0.2
Pertussis	1	12 (32)	22.1	5	25 (30)	28.0	2	18 (31)	21.1
Pneumococcal infection		7 (9)	3.0		5 (6)	3.3		7 (10)	3.4
Rubella (non-congenital)								1	0.1
Tetanus						0.1			
Varicella (chicken pox)		7 (12)	8.3	1	9 (8)	9.7		12 (10)	11.2
Varicella (shingles)	2	23 (34)	35.3		17 (26)	34.8	1	31 (40)	37.3
Varicella (unspecified)	9	66 (70)	66.2	10	67 (61)	66.7	8	65 (73)	66.2
Vector-borne diseases									
Barmah Forest virus			0.1						
Chikungunya		(2)	0.2			0.5		2	0.4
Dengue fever		2 (6)	5.2		2 (5)	3.7		6 (3)	3.5
Malaria			0.2		1	1.6		(1)	1.1
Murray Valley encephalitis virus						0.1			
Ross River virus		(1)	3.5		1	8.5		(1)	5.9
Typhus		(1)	0.5		(1)	0.7		2 (2)	0.6
Zoonotic diseases									
Leptospirosis									
Q Fever									0.4
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			0.2			0.3			0.1
Amoebic meningitis						0.1			
COVID-19	19	184 (466)	114.5	8	144 (325)	97.2	19	140 (479)	102.0
Creutzfeldt-Jakob disease						0.1			
Haemolytic Uraemic Syndrome						0.1			
Legionellosis		(2)	0.5			0.9			1.3
Leprosy						0.1			
Melioidosis						0.1			
Meningococcal infection		(1)	0.1		1 (1)	0.3			
Mpox		1	1.2			1.3		3	1.8
RSV	109	717 (964)	229.2	67	484 (638)	204.3	72	707 (898)	221.4
Tuberculosis	2	5 (5)	3.4	1	3 (1)	2.7		2 (6)	4.0
iGAS		1 (2)	1.8		1 (3)	3.9		2 (7)	3.9
Grand Total	244	1858 *****		176	1474 *****		211	2021 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		1	3.9	2	2	11.9		1	8.6
Hepatitis C (newly acquired)		(1)	3.4	1	1 (2)	14.9			
Hepatitis C (re-infection newly acquired)			2.4	1	1	5.9			
Hepatitis C (re-infection unspecified)			0.5						
Hepatitis C (unspecified)	2	3 (2)	15.4		(1)	17.8		1 (2)	17.2
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	27 (40)	107.1	1	10 (8)	107.1	1	8 (8)	77.4
Cryptosporidiosis		1 (4)	6.8		1 (1)	8.9			1.2
Hepatitis A									
Listeriosis			0.5						
Paratyphoid fever									3.7
Rotavirus		(5)	9.2		(2)	4.5		1 (2)	11.1
STEC/VTEC infection		4 (1)	9.2		(1)	13.4		(2)	7.4
Salmonellosis	1	8 (11)	30.9		1 (4)	34.2		3 (1)	34.4
Shigellosis		1 (2)	4.3		1 (1)	4.5			2.5
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis		(1)	1.0						1.2
Sexually transmissible infections									
Chlamydia (genital)	4	34 (46)	135.1		12 (11)	129.4	1	7 (16)	92.1
Gonorrhoea	1	7 (6)	49.7		1 (3)	38.7	1	8 (5)	46.7
Syphilis - Infectious		1 (3)	3.4		(1)	5.9		(1)	4.9
Syphilis - Non-Infectious	1	2 (2)	4.8		(1)	4.5			2.5
Vaccine preventable diseases									
Diphtheria									
H. influenzae type b									
Influenza	11	186 (356)	232.0	2	73 (107)	242.4	2	14 (57)	67.5
Measles									
Mumps									
Pertussis		2 (22)	25.6	1	9 (2)	214.2		(8)	6.1
Pneumococcal infection		1	2.4		(2)	5.9		2 (1)	6.1
Rubella (non-congenital)									
Tetanus									
Varicella (chicken pox)		3 (3)	10.6	1	3 (2)	22.3		(1)	7.4
Varicella (shingles)	1	15 (20)	98.9		9 (7)	144.3	2	7 (5)	52.8
Varicella (unspecified)									7.4
Vector-borne diseases									
Barmah Forest virus		1	2.9						1.2
Chikungunya			0.5						
Dengue fever		1 (2)	3.4		(1)	1.5			3.7
Malaria			0.5						2.5
Murray Valley encephalitis virus									
Ross River virus		1	28.5		(1)	23.8			8.6
Typhus			0.5			1.5			
Zoonotic diseases									
Leptospirosis		1	1.0						
Q Fever					(1)	1.5			3.7
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			1.0			3.0			1.2
Amoebic meningitis									
COVID-19	1	30 (117)	95.5	1	8 (26)	64.0	1	5 (32)	58.9
Creutzfeldt-Jakob disease									1.2
Haemolytic Uraemic Syndrome									
Legionellosis			0.5						
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox			0.5						
RSV	16	157 (137)	214.6	3	27 (59)	98.2	5	30 (60)	111.8
Tuberculosis	1	1	1.0			1.5			
iGAS		(1)	3.4			3.0			6.1
Grand Total	41	488 (782)		13	159 (244)		13	87 (201)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						1.7			3.3
Hepatitis B (unspecified)			7.1	1	2 (2)	15.5	1		6.6
Hepatitis C (newly acquired)			2.8		(1)	1.7			1.7
Hepatitis C (re-infection newly acquired)									
Hepatitis C (re-infection unspecified)			1.4						
Hepatitis C (unspecified)	2	5 (1)	25.4		(2)	12.1	1 (2)		21.6
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	3 (4)	90.5		4 (5)	56.8	3	9 (3)	81.3
Cryptosporidiosis			18.4						8.3
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus					(1)	6.9	2 (3)		13.3
STEC/VTEC infection		1 (1)	5.7			5.2			13.3
Salmonellosis		1 (2)	36.7		(1)	20.7	6 (1)		82.9
Shigellosis		(2)	9.9	1		20.7	1 (2)		14.9
Typhoid									
Vibrio parahaemolyticus						1.7			
Yersiniosis						1.7			
Sexually transmissible infections									
Chlamydia (genital)	3	17 (14)	248.8	2	27 (24)	327.1	1	22 (40)	398.1
Gonorrhoea	1	10 (10)	130.0	1	13 (15)	198.0	2	15 (29)	321.8
Syphilis - Infectious		1	22.6		3 (1)	29.3		1 (2)	34.8
Syphilis - Non-Infectious			14.1		1 (2)	13.8		(1)	1.7
Vaccine preventable diseases									
Diphtheria						8.6		5	63.0
H. influenzae type b									
Influenza	17	53 (129)	183.7	4	56 (173)	213.5		4 (26)	53.1
Measles			1.4						
Mumps									
Pertussis		2	7.1		1 (2)	27.5	5		24.9
Pneumococcal infection		1	7.1		(2)	15.5	(2)		14.9
Rubella (non-congenital)									
Tetanus									
Varicella (chicken pox)		1 (1)	12.7		1 (2)	5.2	1 (2)		13.3
Varicella (shingles)		1 (5)	56.5		(6)	65.4	2 (3)		44.8
Varicella (unspecified)		(1)	9.9	1	1	1.7			
Vector-borne diseases									
Barmah Forest virus									3.3
Chikungunya									1.7
Dengue fever			2.8			3.4			
Malaria			1.4						1.7
Murray Valley encephalitis virus									
Ross River virus			5.7		(1)	3.4			11.6
Typhus			1.4						1.7
Zoonotic diseases									
Leptospirosis									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			1.4			1.7			
Amoebic meningitis									
COVID-19		8 (38)	77.7	2	7 (18)	48.2	1	2 (18)	26.5
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis									1.7
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox									1.7
RSV	6	56 (34)	182.3	3	37 (37)	149.8	8 (12)		107.8
Tuberculosis		1	4.2			1.7			
iGAS			11.3		(4)	8.6	1 (1)		10.0
Grand Total	30	161 (242)		14	154 (299)		7	86 (147)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	0 (1)	0.5
Hepatitis B (unspecified)		2 (3)	17.2	10	48 (42)	10.9
Hepatitis C (newly acquired)			9.8	1	2 (14)	2.3
Hepatitis C (re-infection newly acquired)				2	8 (0)	3.1
Hepatitis C (re-infection unspecified)				0	5 (0)	1.3
Hepatitis C (unspecified)	2	3 (1)	39.3	11	41 (58)	15.7
Hepatitis D				0	3 (5)	0.4
Enteric diseases						
Campylobacteriosis	1	8 (9)	88.3	45	302 (354)	83.6
Cryptosporidiosis		(4)	2.5	0	7 (43)	3.6
Hepatitis A				0	0 (2)	0.4
Listeriosis				0	0 (0)	0.3
Paratyphoid fever				0	0 (0)	0.2
Rotavirus		(155)	14.7	1	14 (243)	15.2
STEC/VTEC infection		(4)	22.1	0	7 (15)	3.3
Salmonellosis		1 (15)	88.3	10	71 (114)	28.9
Shigellosis		(5)	44.2	0	16 (25)	8.2
Typhoid				0	0 (4)	0.4
Vibrio parahaemolyticus				0	2 (0)	0.6
Yersiniosis			4.9	0	7 (5)	2.8
Sexually transmissible infections						
Chlamydia (genital)	5	30 (61)	881.0	88	714 (927)	227.4
Gonorrhoea	3	33 (44)	741.1	34	335 (400)	116.8
Syphilis - Infectious	1	1 (12)	122.7	6	41 (62)	13.8
Syphilis - Non-Infectious			19.6	3	22 (29)	7.3
Vaccine preventable diseases						
Diphtheria		12	370.6	0	17 (0)	6.5
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza	1	25 (35)	235.6	177	1761*****	171.8
Measles				0	0 (4)	0.2
Mumps				0	0 (1)	0.1
Pertussis		1 (1)	4.9	9	75 (128)	27.0
Pneumococcal infection	1	2	14.7	1	26 (33)	4.1
Rubella (non-congenital)				0	1 (0)	0.0
Tetanus				0	0 (0)	0.0
Varicella (chicken pox)		1	14.7	2	39 (41)	10.2
Varicella (shingles)		1 (2)	83.4	6	110 (153)	46.0
Varicella (unspecified)	1	1	7.4	29	200 (209)	54.5
Vector-borne diseases						
Barmah Forest virus			9.8	0	1 (0)	0.5
Chikungunya				0	2 (2)	0.4
Dengue fever				0	11 (17)	3.9
Malaria				0	1 (1)	0.9
Murray Valley encephalitis virus				0	0 (0)	0.0
Ross River virus		(2)	68.7	0	3 (6)	9.0
Typhus				0	2 (4)	0.7
Zoonotic diseases						
Leptospirosis		1	2.5	0	2 (0)	0.1
Q Fever				0	0 (1)	0.2
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)			7.4	0	0 (0)	0.5
Amoebic meningitis				0	0 (0)	0.0
COVID-19		3 (11)	78.5	52	533*****	99.1
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Haemolytic Uraemic Syndrome				0	0 (0)	0.0
Legionellosis				0	0 (2)	0.8
Leprosy			2.5	0	0 (0)	0.0
Melioidosis			7.4	0	0 (0)	0.1
Meningococcal infection				0	1 (2)	0.1
Mpox				0	4 (0)	1.3
RSV	1	9 (6)	505.5	286	2245*****	213.8
Tuberculosis			2.5	4	12 (12)	2.0
iGAS		2	56.4	0	7 (18)	4.5
Grand Total	16	136 (370)		777	6698*****	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 30	
	10/06	17/06	24/06	01/07	08/07	15/07	22/07	29/07	2026	2025
Salmonella Total	23	22	17	33	22	21	18	10	874	925
Serotype/Phage										
Salmonella Aberdeen									0	1
Salmonella Adelaide									1	5
Salmonella Agona	1	1		1					11	12
Salmonella Albany	1								2	2
Salmonella Anatum									5	2
Salmonella Anatum var 15+									1	1
Salmonella Apeyeme									1	0
Salmonella Ball									2	0
Salmonella Bareilly									4	26
Salmonella Birkenhead									3	0
Salmonella Bispebjerg									3	0
Salmonella Blukwa					1				2	0
Salmonella Bonn									1	3
Salmonella Bootle									1	0
Salmonella Bovismorbificans	1		1						7	13
Salmonella Braenderup					1				2	3
Salmonella Brandenburg									1	0
Salmonella Cerro					1				2	2
Salmonella Chailey				1					3	3
Salmonella Chester			1	1	1				28	32
Salmonella Choleraesuis bv Australia									14	10
Salmonella Choleraesuis bv Decatur	1								12	8
Salmonella Concord									1	1
Salmonella Corvallis									3	5
Salmonella Derby									2	1
Salmonella Eastbourne									4	3
Salmonella Emek			1						2	6
Salmonella Enteritidis	6	4	1	5	8	6	3		119	107
Salmonella Fremantle subsp II									3	0
Salmonella Give	1						1		4	2
Salmonella Give var 15+									1	0
Salmonella Goldcoast	1								1	0
Salmonella Havana		1		1					12	5
Salmonella Heidelberg									2	6
Salmonella Houten subsp IV									1	0
Salmonella Hvittingfoss		1					1		7	11
Salmonella Infantis	1			1			1		31	22
Salmonella Isangi									1	0
Salmonella Javiana							1		3	4
Salmonella Kedougou									1	0
Salmonella Kentucky					1				16	15
Salmonella Kiambu						2			4	10
Salmonella Kottbus	1								4	3
Salmonella Lexington									1	1
Salmonella Liverpool						1			1	0
Salmonella Livingstone									2	0
Salmonella Llandoff									1	0
Salmonella London									3	0
Salmonella Mbandaka		1				1			8	2

Weekly Report for period 04-JUN-26 to 29-JUL-26

	10/06	17/06	24/06	01/07	08/07	15/07	22/07	29/07	Cumulative Total to end of Week 30	
									2026	2025
Salmonella Total	23	22	17	33	22	21	18	10	874	925
Serotype/Phage										
Salmonella Mgulani									1	0
Salmonella Montevideo									1	1
Salmonella Muenchen	1			1					18	11
Salmonella Muenster									4	1
Salmonella Muenster var 15+			1						2	2
Salmonella Newport			1		1	1			22	27
Salmonella Ohio									1	1
Salmonella Oranienburg									1	5
Salmonella Orientalis									1	2
Salmonella Orion									2	2
Salmonella Oslo						1			3	2
Salmonella Paratyphi B bv Java	3	4	4	2	2	2	1		74	86
Salmonella Poona									8	3
Salmonella Potsdam			1			2			5	7
Salmonella Reading		1	1						10	8
Salmonella Rissen									5	2
Salmonella Rubislaw									2	3
Salmonella Saintpaul		1		2					26	30
Salmonella Senftenberg		1							4	6
Salmonella Singapore									8	5
Salmonella Stanley			1				1		22	34
Salmonella Tennessee									8	5
Salmonella Thompson									4	7
Salmonella Typhimurium	1	3	2	4	2	1			110	174
Salmonella Uganda var 15+									1	0
Salmonella Urbana									3	2
Salmonella Virchow	1	1		1					27	35
Salmonella Wandsbek subsp II						1			3	1
Salmonella Wandsworth									2	1
Salmonella Wangata									3	6
Salmonella Waycross									1	0
Salmonella Welikade									2	3
Salmonella Weltevreden	1			2					18	20
Salmonella Weltevreden var 15+									1	6
Salmonella Zanzibar									4	3
Salmonella species	2	3	2	11	2	3	9	10	107	94
Salmonella subsp 1 ser 4,5:i:-									13	3
Salmonella subsp I ser					1				1	0
Salmonella subsp II									0	0
Salmonella subsp II ser					1				2	0