

Paediatric Respiratory Pathogen Report Week 37, 12th September – 18th September 2022

- PathWest detected 162 cases of RSV in paediatric patients. The proportion positive increased to
 45.1% which is higher than historically observed at this time of year.
- The next most common respiratory viruses detected in paediatric patients this week were adenovirus (40 cases), SARS-CoV-2 (28 cases), rhinovirus (22 cases) and parainfluenza virus (22 cases).
- Influenza cases and proportion positive in paediatric patients remained low this week.




Figure 1: Daily SARS-CoV-2 detections in hospital attending patients and community paediatric patients. Data is for PCR samples tested by PathWest only.

SARS-CoV-2 PCR cases and proportion positive in paediatric cases remain low this week.

Data is representative of all patients attending a hospital (public or private) in Western Australia, for which a respiratory sample was collected and tested at a PathWest laboratory.






Figure 2: The current season plotted against the Paediatric RSV Average Epidemic Curve. The average epidemic curve was constructed by averaging all seasons measured at PathWest QE2 from 2007-2019. Data represents all WA hospitalised and ED paediatric patients tested by PathWest.

PathWest detected 162 cases of RSV in paediatric patients. The proportion positive increased to 45.1% which is higher than historically observed at this time of year.




Figure 3: The current season plotted against the Paediatric Influenza Average Epidemic Curve. The average epidemic curve was constructed by averaging all seasons measured at PathWest QE2 from 2007-2019. Data represents all WA hospitalised and ED paediatric patients tested by PathWest.

Influenza proportion positive (1.6%) remained low this week and is below levels historically observed at this time of year.

Data is representative of all patients attending a hospital (public or private) in Western Australia, for which a respiratory sample was collected and tested at a PathWest laboratory.






Figure 4: Proportion positive (RSV & influenza) or cases (other respiratory pathogens) for the current week (red line) plotted against the historic range (grey box) and median (black line) for this week. Pie charts represent the breakdown of influenza subtypes and the count of other respiratory pathogens. Data represents hospitalised and ED paediatric patients tested by PathWest. Historic data is for years 2007-2019. Please note: Due to the escalation of rapid PCR testing, the number influenza and RSV positive samples which do not receive a subtyping test has increased.

RSV proportion positive (45.1%) was higher than historic median (17.8%) for this week. Proportion positive of influenza (1.6%) and HMPV (4.7%) were each below their respective historic median. Other respiratory virus detections were higher than the historic median for this week. These detections were predominantly adenovirus, rhinovirus and parainfluenza viruses. Testing for these viruses is currently higher than it has been in previous years.






Figure 5: Hospital attending paediatric patients with RSV in Perth metropolitan region, in both Kimberley and Pilbara combined and in the remaining regions combined.

Of the 160 paediatric cases of RSV this week, 154 were from the Metro area, three from the Wheatbelt and one from each of the Goldfields, Midwest and Great Southern.




Figure 6: Hospital attending paediatric patients with influenza in Perth metropolitan region, in both Kimberley and Pilbara combined and in the remaining regions combined.

There were 6 paediatric cases of influenza this week, all were from the Metro area.

Data is representative of all patients attending a hospital (public or private) in Western Australia, for which a respiratory sample was collected and tested at a PathWest laboratory.






Figure 7: Paediatric and adult hospital attending patients with RSV, 2018-2022.

There were 162 children and 32 adults with RSV who attended a hospital.




Figure 8: Paediatric and adult hospital attending patients with influenza, 2018-2022.

There were 6 children and 4 adults with influenza who attended a hospital.

Data is representative of all patients attending a hospital (public or private) in Western Australia, for which a respiratory sample was collected and tested at a PathWest laboratory