


## Paediatric Respiratory Pathogen Report Week 41, 9<sup>th</sup> October – 15<sup>th</sup> October 2023

- Paediatric RSV cases detected at PathWest decreased, with 21 cases detected. RSV proportion positive is lower than the normally observed at this time of year.
- Influenza proportion positive decreased this week and is below the historical average observed at this time of year.
- PathWest detected 8 influenza cases in paediatric patients, 6 were influenza A/H3 and 2 were influenza B.
- Other common respiratory viruses detected in paediatric patients this week were, parainfluenza (27 cases), human metapneumovirus (22), adenovirus (19 cases) and rhinovirus (18 cases).



**Figure 1**: Weekly SARS-CoV-2 detections in hospital attending patients and community paediatric patients. Data is for PCR samples tested by PathWest only.

SARS-CoV-2 cases and proportion positive in paediatric patients remain low.






Figure 2: The current season plotted against the Paediatric Influenza Average Epidemic Curve. The average epidemic curve was constructed by averaging historic WA seasons using PathWest data from 2007-2019. Data represents all WA hospitalised, and ED paediatric patients tested by PathWest.

Influenza proportion positive (2.2%) is below levels historically observed at this time of year.





Figure 3: The current season plotted against the Paediatric RSV Average Epidemic Curve. The average epidemic curve was constructed by averaging historic WA seasons using PathWest data from 2007-2019. Data represents all WA hospitalised, and ED paediatric patients tested by PathWest.

The RSV proportion positive (5.7%) is below levels historically seen at this time of year.





**Figure 4**: Proportion positive (RSV, hMPV & influenza) or cases (other respiratory pathogens) for the current week (red line) plotted against the historic range (grey box) and median (black line) for this week. Pie charts represent the breakdown of influenza subtypes and the count of other respiratory pathogens. Data represents hospitalised and ED paediatric patients tested by PathWest. Historic data is for years 2007-2019. Please note: Due to the escalation of rapid PCR testing, the number of influenza and RSV positive samples which do not receive a subtyping test has increased.

RSV proportion positive (5.7%) is lower than the historical median of 11.2%. Influenza proportion positive (2.2%) was lower than the historic median of 4.7 % for this week. Other respiratory viruses, mainly human metapneumovirus, adenovirus, parainfluenza, and rhinovirus were higher than their historic median levels. Testing for these viruses is currently higher than it has been in previous years.







Figure 5: Hospital attending paediatric patients with influenza in Perth metropolitan region, in both Kimberley and Pilbara combined and in the remaining regions combined.

Of the 8 paediatric influenza cases, 6 were from the Metro area and 2 from the Southwest.



**Figure 6:** Hospital attending paediatric patients with RSV in Perth metropolitan region, in both Kimberley and Pilbara combined and in the remaining regions combined.

Of the 21 paediatric RSV cases, 15 were from the Metro area. 5 from the Pilbara and 1 from the Kimberley.






Figure 7: Paediatric and adult hospital attending patients with influenza, 2018-2023.

There were 8 children and 18 adults with influenza who attended a hospital.




Figure 8: Paediatric and adult hospital attending patients with RSV, 2018-2023.

There were 21 children and 19 adults with RSV who attended a hospital.